# Index to Volume 96

January–June, 2002

## Author Index


Abrahams JM, Reiter GT, Acker MA, Sinson GP. Propofol. Letter, 1160

Acker MA. *See* Abrahams JM, 1160

Acorn T. *See* Mendez I, 589

Adler DE, Milhorat TH. The tentorial notch: anatomical variation, morphometric analysis, and classification in 100 human autopsy cases, 1103

Agrawal D. Vasospasm. Letter, 382

Ahn JY, Kwon SO, Shin MS, Joo JY, Kim TS. Chronic granulomatous neuritis in idiopathic trigeminal sensory neuropathy. Report of two cases, 585

Aigbirhio F. *See* Gupta AK, 263

Aiyagari V. *See* Diringer MN, 103, 158

Akiyama I. *See* Horikoshi T, 697

Akiyama Y. *See* Uemura T, 900

Alden TD. *See* Meij BP, 195

Allert N. *See* Voges J, 269

Alleyne CH Jr. Book review, 636

Al-Mefty O, Ayoubi S, Gaber E. Trigeminal schwannomas: removal of dumbbell-shaped tumors through the expanded Meckel cave and outcomes of cranial nerve function, 453

Alonso OF. *See* Belayev L, 1077

Al-Rawi PG. *See* Gupta AK, 263

———. *See* Kett-White R, 1013

Al-Witry M. *See* Hejazi N, 956

Andrews B. Book review, 153

Anthony DC. *See* Tzika AA, 1023

Arita K. *See* Hama S, 209

Arsaut J. *See* Cuny E, 294

Astrakas LG. *See* Tzika AA, 1023

Atkinson JD, Collins DL, Bertrand G, Peters TM, Pike GB, Sadikot AF. Optimal location of thalamotomy lesions for tremor associated with Parkinson disease: a probabilistic analysis based on postoperative magnetic resonance imaging and an integrated digital atlas, 854

Atkinson JLD. *See* Collignon FP, 377

Awaya A. *See* Mitsuyama T, 1072

Ayoubi S. *See* Al-Mefty O, 453

Ayuzawa S. *See* Ishikawa E, 680

Badie B. *See* Lapsiwala SB, 872

Bailey S, Campbell J, Haines S. Thromboprophylaxis. Letter, 807

Bálint K. *See* Bognár L, 361

Baltuch GH. *See* Simuni T, 666

Bárdóczy Z. *See* Bognár L, 361

Barnes J. *See* Siddique MS, 86

Barrow, DL, Cawley CM, Dion JE, Tang G. Intraoperative angiography. Editorial, 980

———. *See* Tang G, 993

Baser ME, Makariou EV, Parry DM. Predictors of vestibular schwannoma growth in patients with neurofibromatosis Type 2, 217

———. *See* Mautner VF, 223

Baskaya MK. *See* Nanda A, 302

Baskin DS. *See* Didenko VV, 580

Bauman LA. *See* Cannon ML, 1161

Baumgartner C. *See* Novak K, 464

Becker DA. *See* Belayev L, 1077

Belayev L, Becker DA, Alonso OF, Liu Y, Busto R, Ley JJ, Ginsberg MD. Stilbazulenyl nitrone, a novel azulenyl nitrone antioxidant: improved neurological deficit and reduced contusion size after traumatic brain injury in rats, 1077

Bell BA. *See* Cudlip SA, 755, 1046

Bellinzona G. *See* Imberti R, 97, 156

Belzberg AJ. *See* Gaffey TA, 352

Benner T. *See* Doerfler A, 933

Bentley RP, Sgouros S, Natarajan K, Dover MS, Hockley AD. Changes in orbital volume during childhood in cases of craniosynostosis, 747

———, ———, ———, ———, ———. Normal changes in orbital volume during childhood, 742

Beric A. *See* Mogilner AY, 660

Berk C, Honey CR. Bilateral thalamic deep brain stimulation for the treatment of head tremor. Report of two cases, 615

———. *See* Palur RS, 1058

Bernays RL. *See* Kollias SS, 384

Bertrand G. *See* Atkinson JD, 854

Beschorner R. *See* Schwab JM, 892

Besser M. *See* Zacest AC, 552

Beuls EAM. *See* van Aalst J, 597

Black PM. *See* Tzika AA, 1023

Blömer U. *See* Luedemann W, 523

Blount JP. *See* Tubbs RS, 320

Boerman RH. *See* Jeuken JWM, 559

Bognár L, Bálint K, Bárdóczy Z. Symptomatic osteolipoma of the tuber cinereum. Case report, 361

Borden WB, Tamargo RJ. George J. Heuer: forgotten pioneer at The Johns Hopkins Hospital. Historical vignette, 1139

Boscardin WJ. *See* Oertel M, 109

Brackmann DE. *See* Otto SR, 1063

Brandt L. *See* Fridriksson S, 515

Breeze RE. *See* Wang MC, 607

Breier JI. *See* Ishibashi H, 724

# Index to Volume 96

January–June, 2002

## Author Index


Abrahams JM, Reiter GT, Acker MA, Sinson GP. Propofol. Letter, 1160

Acker MA. *See* Abrahams JM, 1160

Acorn T. *See* Mendez I, 589

Adler DE, Milhorat TH. The tentorial notch: anatomical variation, morphometric analysis, and classification in 100 human autopsy cases, 1103

Agrawal D. Vasospasm. Letter, 382

Ahn JY, Kwon SO, Shin MS, Joo JY, Kim TS. Chronic granulomatous neuritis in idiopathic trigeminal sensory neuropathy. Report of two cases, 585

Aigbirhio F. *See* Gupta AK, 263

Aiyagari V. *See* Diringer MN, 103, 158

Akiyama I. *See* Horikoshi T, 697

Akiyama Y. *See* Uemura T, 900

Alden TD. *See* Meij BP, 195

Allert N. *See* Voges J, 269

Alleyne CH Jr. Book review, 636

Al-Mefty O, Ayoubi S, Gaber E. Trigeminal schwannomas: removal of dumbbell-shaped tumors through the expanded Meckel cave and outcomes of cranial nerve function, 453

Alonso OF. *See* Belayev L, 1077

Al-Rawi PG. *See* Gupta AK, 263

———. *See* Kett-White R, 1013

Al-Witry M. *See* Hejazi N, 956

Andrews B. Book review, 153

Anthony DC. *See* Tzika AA, 1023

Arita K. *See* Hama S, 209

Arsaut J. *See* Cuny E, 294

Astrakas LG. *See* Tzika AA, 1023

Atkinson JD, Collins DL, Bertrand G, Peters TM, Pike GB, Sadikot AF. Optimal location of thalamotomy lesions for tremor associated with Parkinson disease: a probabilistic analysis based on postoperative magnetic resonance imaging and an integrated digital atlas, 854

Atkinson JLD. *See* Collignon FP, 377

Awaya A. *See* Mitsuyama T, 1072

Ayoubi S. *See* Al-Mefty O, 453

Ayuzawa S. *See* Ishikawa E, 680

Badie B. *See* Lapsiwala SB, 872

Bailey S, Campbell J, Haines S. Thromboprophylaxis. Letter, 807

Bálint K. *See* Bognár L, 361

Baltuch GH. *See* Simuni T, 666

Bárdóczy Z. *See* Bognár L, 361

Barnes J. *See* Siddique MS, 86

Barrow, DL, Cawley CM, Dion JE, Tang G. Intraoperative angiography. Editorial, 980

———. *See* Tang G, 993

Baser ME, Makariou EV, Parry DM. Predictors of vestibular schwannoma growth in patients with neurofibromatosis Type 2, 217

———. *See* Mautner VF, 223

Baskaya MK. *See* Nanda A, 302

Baskin DS. *See* Didenko VV, 580

Bauman LA. *See* Cannon ML, 1161

Baumgartner C. *See* Novak K, 464

Becker DA. *See* Belayev L, 1077

Belayev L, Becker DA, Alonso OF, Liu Y, Busto R, Ley JJ, Ginsberg MD. Stilbazulenyl nitrone, a novel azulenyl nitrone antioxidant: improved neurological deficit and reduced contusion size after traumatic brain injury in rats, 1077

Bell BA. *See* Cudlip SA, 755, 1046

Bellinzona G. *See* Imberti R, 97, 156

Belzberg AJ. *See* Gaffey TA, 352

Benner T. *See* Doerfler A, 933

Bentley RP, Sgouros S, Natarajan K, Dover MS, Hockley AD. Changes in orbital volume during childhood in cases of craniosynostosis, 747

———, ———, ———, ———, ———. Normal changes in orbital volume during childhood, 742

Beric A. *See* Mogilner AY, 660

Berk C, Honey CR. Bilateral thalamic deep brain stimulation for the treatment of head tremor. Report of two cases, 615

———. *See* Palur RS, 1058

Bernays RL. *See* Kollias SS, 384

Bertrand G. *See* Atkinson JD, 854

Beschorner R. *See* Schwab JM, 892

Besser M. *See* Zacest AC, 552

Beuls EAM. *See* van Aalst J, 597

Black PM. *See* Tzika AA, 1023

Blömer U. *See* Luedemann W, 523

Blount JP. *See* Tubbs RS, 320

Boerman RH. *See* Jeuken JWM, 559

Bognár L, Bálint K, Bárdóczy Z. Symptomatic osteolipoma of the tuber cinereum. Case report, 361

Borden WB, Tamargo RJ. George J. Heuer: forgotten pioneer at The Johns Hopkins Hospital. Historical vignette, 1139

Boscardin WJ. *See* Oertel M, 109

Brackmann DE. *See* Otto SR, 1063

Brandt L. *See* Fridriksson S, 515

Breeze RE. *See* Wang MC, 607

Breier JI. *See* Ishibashi H, 724

Britz GW. *See* Winn HR, 43
Broaddus WC, Holloway KL, Winters CJ, Bullock MR, Graham RS, Mathern BE, Ward JD, Young HF. Titanium miniplates or stainless steel wire for cranial fixation: a prospective randomized comparison, 244
Broggi G. *See* Ferroli P, 641
Brown GW. *See* Derdeyn CP, 837
Brown RD Jr. *See* Wiebers DO, 50
Buatti JM, Friedman WA. Temporary ventricular drainage and emergency radiotherapy in the management of hydrocephalus associated with germinoma, 1020
Brückmann H. *See* Wiesmann M, 684
———. *See* Yousry I, 1113
Buemi M. *See* Grasso G, 565
Bullock MR. *See* Broaddus WC, 244
Bullock R. Hyperventilation. Letter, 157
Bulsara KR. *See* McGirt MJ, 941
Burger PC. *See* Gaffey TA, 352
Burgunder JM. *See* Loher TJ, 844
Burke DG. *See* Veyna RS, 510
Busto R. *See* Belayev L, 1077
Buxton N. Subarachnoid hemorrhage and atmospheric pressure. Letter, 975

Cacayorin ED. *See* Song JK, 792
Cagli S. *See* Dalbasti T, 381, 382
Campbell J. *See* Bailey S, 807
Cannon ML, Glazier SS, Bauman LA. Propofol. Letter, 1161, 1162
Cantore G. *See* Santoro A, 135
Caperle M. *See* Pompili A, 229
Carmona H. *See* Honegger J, 248
Caron-Poitreau C. *See* Pasco A, 127
Castillo EM. *See* Ishibashi H, 724
Cawley CM. *See* Barrow DL, 980
———. *See* Tang G, 993
Cekirge S. *See* Mawad ME, 474
Chakraborty A. *See* Gnanalingham KK, 960
Chanda A. *See* Nanda A, 302
Chang YF. *See* Tyler-Kabara EC, 527
Chase CM. *See* Ubogu EE, 140
Cheng LL. *See* Tzika AA, 1023
Chiang VL, Gailloud P, Murphy KJ, Rigamonti D, Tamargo RJ. Routine intraoperative angiography during aneurysm surgery, 988
———. *See* Tamargo RJ, 980
Chicoine MR. *See* Derdeyn CP, 837
Ching HS. *See* Oweity T, 344
Choudhri TF *See* Mack WJ, 71
Chow M. *See* Dumont AS, 985
Chung WY *See* Pan DHC, 823
Chyatte D, Porterfield R. Surgery for unruptured aneurysms. Letter, 160
Ciceri E. *See* Mawad ME, 474
Cif L. *See* Vayssiere N, 673
Clark J. *See* Gupta AK, 263
Clatterbuck RE, Rigamonti D. Cherry angiomas associated with familial cerebral cavernous malformations. Case illustration, 964
Clifton A. *See* Cudlip SA, 1046
Cohen-Gadol A. *See* Kadyrov NA, 624
Colcher A. *See* Simuni T, 666
Collett B. *See* Sampson FC, 1052
Collignon FP, Friedman JA, Atkinson JLD. Recurrent intraventricular and subarachnoid hemorrhage due to an intracranial schwannoma. Case illustration, 377
Collins DL. *See* Atkinson JD, 854
Connolly ES Jr. *See* Mack WJ, 71
Constantini S, Kanner AA. Thromboprophylaxis. Letter, 808
———. *See* Kanner AA, 807
Conti A. *See* Grasso G, 565
Cornips EMJ. *See* van Aalst J, 597
Coşkun E. Papaverine and vasospasm. Letter, 973
Coubes P. *See* Vayssiere N, 673
Couldwell WT. Transphenoidal surgery. Letter, 1160
———. *See* Hahn M, 1130
———. *See* Meiteles LZ, 796
Crocker I. *See* Stubbs JB, 335
Cross DT III. *See* Derdeyn CP, 837
Crum BA. *See* Maher CO, 1123
Cruz J. Autoregulation-oriented strategy. Letter, 1158
Cudlip SA, Howe FA, Clifton A, Schwartz MS, Bell BA. Magnetic resonance neurography studies of the median nerve before and after carpal tunnel decompression, 1046
———, ———, Griffiths JR, Bell BA. Magnetic resonance neurography of peripheral nerve following experimental crush injury, and correlation with functional deficit, 755
Culjak G. *See* Zacest AC, 552
Cuny E, Loiseau H, Penchet G, Ellie E, Arsaut J, Vital A, Vincendeau P, Demotes-Mainard J. Association of elevated glial expression of interleukin-1β with improved survival in patients with glioblastomas multiforme, 294
Czech T. *See* Novak K, 464
Czosnyka M, Steiner LA. Autoregulation-oriented strategy. Letter, 1158
———. *See* Kett-White R, 1013

Dacey RG Jr. *See* Derdeyn CP, 837
———. *See* Diringer MN, 103, 155, 158
Dagher A. *See* Mendez I, 589
Dalbasti T. Papaverine and vasospasm. Letter, 974
———, Karabiyikoglu M, Ozdamar N, Oktar N, Cagli S. Statistical techniques and vasospasm. Letter, 381
———, ———, ———, ———, ———. Vasospasm. Letter, 382
Dare AO, Grand W. Eyebrow incision. Letter, 973
Darvesh A. *See* Mendez I, 589
Davis RN. *See* Ishibashi H, 724
Day JD. Malignant schwannoma. Letter, 805
Dayes LA. Book review, 970, 1155
Dazzi M. *See* Santoro A, 135
DE Haan RJ. *See* de Witt Hamer PC, 1041
Demotes-Mainard J. *See* Cuny E, 294
Derdeyn CP, Cross DT III, Moran CJ, Brown GW, Pilgram TK, Diringer MN, Grubb RL Jr, Rich KM, Chicoine MR, Dacey RG Jr. Postprocedure ischemic events after treatment of intracranial aneurysms with Guglielmi detachable coils, 837
Desrosiers J. *See* Mendez I, 589
De Vico G. *See* Grasso G, 565

Devor M, Govrin-Lippmann R, Rappaport ZH. Mechanism of trigeminal neuralgia: an ultrastructural analysis of trigeminal root specimens obtained during microvascular decompression surgery, 532
———, ———, ———, Tasker RR, Dostrovsky JO. Cranial root injury in glossopharyngeal neuralgia: electron microscopic observations. Case report, 603
de Witt Hamer PC, Verstegen MJT, DE Haan RJ, Vandertop WP, Thomeer RTWM, Mooij JJA, van Furth WR. High risk of acute deterioration in patients harboring symptomatic colloid cysts of the third ventricle, 1041
Diakonova N. *See* Vayssiere N, 673
Diaz FG. *See* Ding Y, 310
Didenko VV, Ngo HN, Minchew C, Baskin DS. Apoptosis of T lymphocytes invading glioblastomas multiforme: a possible tumor defense mechanism, 580
Dietrich W. *See* Novak K, 464
Dillehay D. *See* Stubbs JB, 335
Ding Y, Yao B, Zhou Y, Park H, McAllister JP II, Diaz FG. Prereperfusion flushing of ischemic territory: a therapeutic study in which histological and behavioral assessments were used to measure ischemia–reperfusion injury in rats with stroke, 310
Dion JE. *See* Barrow DL, 980
———. *See* Tang G, 993
Diringer MN, Dacey RG Jr. Traumatic brain injury and hyperventilation. Letter, 155
———, Videen TO, Yundt K, Zazulia AR, Aiyagari V, Dacey RG Jr, Grubb RL Jr, Powers WJ. Regional cerebrovascular and metabolic effects of hyperventilation after severe traumatic brain injury, 103
———, Zazulia AR, Aiyagari V, Dacey RG Jr, Grubb RL Jr, Powers WJ. Hyperventilation. Letter, 158
———. *See* Derdeyn CP, 837
Disney L. *See* Weir B, 64
Doerfler A, Engelhorn T, Heiland S, Benner T, Forsting M. Perfusion- and diffusion-weighted magnetic resonance imaging for monitoring decompressive craniectomy in animals with experimental hemispheric stroke, 933
Dogan A. *See* Goetz P, 611
Dostrovsky JO. *See* Devor M, 603
Dover MS. *See* Bentley RP, 742, 747
Downey S. *See* Gupta AK, 263
Duckwiler GR. *See* Song JK, 792
Dulin J. *See* Qureshi AI, 830
Dumont AS, Chow M, Kassell NF. Vasospasm. Editorial, 985
———, Lanzino G, Kassell NF. Unruptured aneurysms. Editorial, 52
Dunn LT. *See* Liaquat I, 90

Edgar MA. *See* Sandberg DI, 885
Edner G. *See* Fridriksson S, 515
Eguchi K. *See* Hama S, 209
El Fertit H. *See* Vayssiere N, 673
Elias J. Book review, 152
Elias WJ. Book review, 1155
Ellegala DB. Book review, 635
———. *See* Meij BP, 195
Ellie E. *See* Cuny E, 294
Elliott JP. Book review, 970
Elton S. *See* Tubbs RS, 320
Endo S. *See* Nagai S, 909
Engelhorn T. *See* Doerfler A, 933
Enoki E. *See* Imai K, 654
Erickson RK. *See* Weil RJ, 775
Espinosa JA. *See* Kalkanis JG, 949
Evans G. *See* Sampson FC, 1052

Fahlbusch R, Schott W. Pterional surgery of meningiomas of the tuberculum sellae and planum sphenoidale: surgical results with special consideration of ophthalmological and endocrinological results, 235
Fauser B. *See* Wiedemayer J, 255
Feigen UM. *See* Mautner VF, 223
Feller JF. Book review, 802
Fenwick JD. *See* Siddique MS, 736
Fereidooni F. *See* Gaffey TA, 352
Fernandes HM. *See* Siddique MS, 86, 736
Ferreira MAT. *See* Henn JS, 144
Ferroli P, Franzini A, Marras C, Broggi G. Parkinson disease. Letter, 641
Fesl G. *See* Yousry I, 1113
Figuereo S. Book review, 968
Firsching R. *See* Schneider T, 331
Fleig OJ. *See* Jannin P, 713
Flickinger JC. *See* Pollock BE, 79
Fodstad H. Subarachnoid hemorrhage and atmospheric pressure. Letter, 974
Forsting M. *See* Doerfler A, 933
Francke U. *See* Schrijver I, 483
Frankel RH. *See* Stubbs JB, 335
Franzini A. *See* Ferroli P, 641
Frerebeau P. *See* Vayssiere N, 673
Freund HJ. *See* Voges J, 269
Fridriksson S, Säveland H, Jakobsson KE, Edner G, Zygmunt S, Brandt L, Hillman J. Intraoperative complications in aneurysm surgery: a prospective national study, 515
Friedman AH. *See* McGirt MJ, 941
Friedman HS. *See* McGirt MJ, 941
Friedman JA, Manno E, Fulgham JR. Propofol. Letter, 1161
———. *See* Collignon FP, 377
———. *See* Kadyrov NA, 624
Friedman JM. *See* Mautner VF, 223
Friedman WA. *See* Buatti JM, 1020
Fryer T. *See* Gupta AK, 263
Fujimoto T. *See* Imai K, 654
Fukaya C. *See* Katayama Y, 641
———. *See* Yamamoto T, 1162, 1163
Fukuhara T. *See* Hama S, 209
Fukuta K. *See* Tachibana E, 280
Fulgham JR. *See* Friedman JA, 1161
Futawatari K. *See* Kinouchi H, 788

Gaab MR, Säglitz SA. Investigations using magnetic resonance imaging: is neurovascular compression present in essential hypertension? Editorial, 984

———. *See* Pick J, 690
———. *See* Säglitz SA, 1006
———. *See* Schroeder HWS, 1032
Gaber E. *See* Al-Mefty O, 453
Gaffey TA, Scheithauer BW, Lloyd RV, Burger PC, Robbins P, Fereidooni F, Horvath E, Kovacs K, Kuroki T, Young WF Jr, Sebo TJ, Riehle DL, Belzberg AJ. Corticotroph carcinoma of the pituitary: a clinicopathological study. Report of four cases, 352
Gailloud P. *See* Chiang VL, 988
———. *See* Tamargo RJ, 980
Galloway M. *See* Gnanalingham KK, 960
———. *See* Goetz P, 611
Gambarelli D. *See* Piercecchi-Marti MD, 619
Gaudet P. *See* Mendez I, 589
Gerlach R, Marquardt G, Wissing H, Scharrer I, Raabe A, Seifert V. Application of recombinant activated factor VII during surgery for a giant skull base hemangiopericytoma to achieve safe hemostasis. Case report, 946
Giannini C. *See* Maher CO, 1123
Gibaud B. *See* Jannin P, 713
Ginsberg MD. *See* Belayev L, 1077
Glazier SS. *See* Cannon ML, 1161
Glenn TC. *See* Oertel M, 109
Glunčić V, Lukić IK, Ivkić G, Hat J, Marušić A. Accessory foramen opticum, ovale, and spinosum. Case illustration, 965
Gnanalingham KK, Chakraborty A, Galloway M, Revesz T, Powell M. Osteosarcoma and fibrosarcoma caused by postoperative radiotherapy for a pituitary adenoma, 960
Gobin YP. *See* Song JK, 792
Godfrey M. *See* Schrijver I, 483
Goel A. Posterior fossa aneurysms. Letter, 637
Goetz P, Lafuente J, Revesz T, Galloway M, Dogan A, Kitchen N. Primary low-grade B-cell lymphoma of mucosa-associated lymphoid tissue of the dura mimicking the presentation of an acute subdural hematoma. Case report and review of the literature, 611
Goldstein R. *See* Simuni T, 666
Gonzalez LF. *See* Henn JS, 144
Gonzalez RG. *See* Tzika AA, 1023
Gorbach AM. *See* Watson JC, 918
Goto T. *See* Tanaka Y, 649
Gotoh K. *See* Murakami H, 877
Goumnerova L. *See* Tzika AA, 1023
Govrin-Lippmann R. *See* Devor M, 532, 603
Gözalan F. *See* Schwab JM, 892
Grabb PA. *See* Tubbs RS, 320
Graham RS. *See* Broaddus WC, 244
Grand AG, Myckatyn TM, Mackinnon SE, Hunter DA. Axonal regeneration after cold preservation of nerve allografts and immunosuppression with tacrolimus in mice, 924
Grand W. *See* Dare AO, 973
Grasso G, Passalacqua M, Sfacteria A, Conti A, Morabito A, Mazzullo G, De Vico G, Buemi M, Macrì B, Tomasello F. Does administration of recombinant human erythropoietin attenuate the increase of S-100 protein observed in cerebrospinal fluid after experimental subarachnoid hemorrhage? 565
Gravori T. *See* Oertel M, 109
Gregson BA. *See* Siddique MS, 86
Gress DR. Surgery for unruptured aneurysms. Letter, 159
Griffiths JR. *See* Cudlip SA, 755
Grisoli F. *See* Piercecchi-Marti MD, 619
Grubb RL Jr. *See* Derdeyn CP, 837
———. *See* Diringer MN, 103, 158
Guglielmi G. *See* Santoro A, 135
Guidetti G. *See* Santoro A, 135
Guo WY *See* Pan DHC, 823
Gupta AK, Hutchinson PJ, Fryer T, Al-Rawi PG, Parry DA, Minhas PS, Kett-White R, Kirkpatrick PJ, Mathews JC, Downey S, Aigbirhio F, Clark J, Pickard JD, Menon DK. Measurement of brain tissue oxygenation performed using positron emission tomography scanning to validate a novel monitoring method, 263
———. *See* Kett-White R, 1013
Guridi J, Manrique M. Deep brain stimulation. Letter, 1163
Guterman LR. *See* Lopes DK, 490

Hadjipanayis C. *See* Tyler-Kabara EC, 527
Hahn M, Murali R, Couldwell WT. Tunneled lumbar drain. Technical note, 1130
Haines S. *See* Bailey S, 807
Hama S, Arita K, Nishisaka T, Fukuhara T, Tominaga A, Sugiyama K, Yoshioka H, Eguchi K, Sumida M, Heike Y, Kurisu K. Changes in the epithelium of Rathke cleft cyst associated with inflammation, 209
Hamada JI, Todaka T, Yano S, Kai Y, Morioka M, Ushio Y. Vertebral artery–posterior inferior cerebellar artery bypass with a superficial temporal artery graft to treat aneurysms involving the posterior inferior cerebellar artery, 867
Hamann GF. *See* Wiesmann M, 684
Hamm M. *See* Luedemann W, 523
Han DH. *See* Kim MS, 952
Han MH. *See* Kim MS, 952
Hanabusa K, Morikawa A, Murata T, Taki W. Malignant schwannoma. Letter, 806
Harsh GR IV. *See* Lehman NL, 368
Hashimoto N. *See* Yamada K, 731
Hat J. *See* Glunčić V, 965
Hatoko M. *See* Imai K, 654
Hayashi T. *See* Murakami H, 877
Hayward A. *See* Sampson FC, 1052
Heike Y. *See* Hama S, 209
Heiland S. *See* Doerfler A, 933
Heiss JD. *See* Watson JC, 918
Hejazi N, Al-Witry M, Witzmann A. Bilateral subdural effusion and cerebral displacement associated with spontaneous intracranial hypotension: diagnostic and management strategies. Report of two cases, 956
Hemm S. *See* Vayssiere N, 673
Henn JS, Lemole GM Jr, Ferreira MAT, Gonzalez LF, Schornak M, Preul MC, Spetzler RF. Interactive stereoscopic virtual reality: a new tool for neurosurgical education.Technical note, 144
Herbreteau D. *See* Pasco A, 127
Hernesniemi J. Posterior fossa aneurysms. Letter, 638
Heros RC. Anterior paraclinoid aneurysms. Editorial, 981
———. Intraoperative angiography. Editorial, 979
———. Paraclinoid aneurysms. Editorial, 647

Higashi H, Meno JR, Marwaha AS, Winn HR. Hippocampal injury and neurobehavioral deficits following hyperglycemic cerebral ischemia: effect of theophylline and ZM 241385, 117
Higashi T. *See* Takahashi JC, 132
Higashiyama N. *See* Kinouchi H, 788
Hillman J. *See* Fridriksson S, 515
Hirose Y. *See* Iwamuro Y, 364
———. *See* Murakami H, 877
Hitselberger WE. *See* Otto SR, 1063
Hockley AD. *See* Bentley RP, 742, 747
Hoff JT. *See* Huang FP, 287
Hoh DJ. *See* Mack WJ, 71
Holloway KL. *See* Broaddus WC, 244
Honegger J, Zentner J, Spreer J, Carmona H, Schulze-Bonhage A. Cerebellar hemorrhage arising postoperatively as a complication of supratentorial surgery: a retrospective study, 248
Honey CR. *See* Berk C, 615
———. *See* Palur RS, 1058
Hong M. *See* Mendez I, 589
Hongo K, Tanaka Y, Kobayashi S. Paraclinoid aneurysms. Editorial, 648
———. *See* Kakizawa Y, 770
———. *See* Tanaka Y, 649
Hopkins LN. *See* Lopes DK, 490
———. *See* Qureshi AI, 830
Hori T. *See* Mitsuyama T, 1072
Horikoshi T, Akiyama I, Yamagata Z, Sugita M, Nukui H. Magnetic resonance angiographic evidence of sex-linked variations in the circle of Willis and the occurrence of cerebral aneurysms, 697
Horiuchi T. *See* Tanaka Y, 649
Horoupian DS. *See* Lehman NL, 368
Horowitz MH. *See* Tyler-Kabara EC, 527
Horvath E. *See* Gaffey TA, 352
Hosotani K. *See* Iwamuro Y, 364
Howe FA. *See* Cudlip SA, 755, 1046
Hua Y. *See* Huang FP, 287
Huang FP, Xi G, Keep RF, Hua Y, Nemoianu A, Hoff JT. Brain edema after experimental intracerebral hemorrhage: role of hemoglobin degradation products, 287
Huang J. *See* Mack WJ, 71
Hunter DA. *See* Grand AG, 924
Hurtig HI. *See* Simuni T, 666
Huston J III. *See* Wiebers DO, 50
Hutchinson PJ. *See* Gupta AK, 263
———. *See* Kett-White R, 1013

Iihara K. *See* Takahashi JC, 132
Ikada Y. *See* Yamada K, 731
Imai K, Komune H, Toda C, Nomachi T, Enoki E, Sakamoto H, Kitano S, Hatoko M, Fujimoto T. Cranial remodeling to treat craniosynostosis by gradual distraction with a new decice, 654
Imberti R, Bellinzona G, Langer M. Cerebral tissue $PO_2$ and $SjvO_2$ changes during moderate hyperventilation in patients with severe traumatic brain injury, 97
———, ———, ———. Traumatic brain injury and hyperventilation. Letter, 156
Inagawa T. Seasonal variation in the incidence of aneurysmal subarachnoid hemorrhage in hospital- and community-based studies, 497
Isaka F. *See* Motoyama Y, 966
Ishibashi H, Simos PG, Castillo EM, Maggio WW, Wheless JW, Kim HL, Venkataraman V, Sanders DK, Breier JI, Zhang W, Davis RN, Papanicolaou AC. Detection and significance of focal, interictal, slow-wave activity visualized by magnetoencephalography for localization of a primary epileptogenic region, 724
Ishihara S, Kamikawa S, Suzuki C, Katoh H, Ross I, Tsuzuki N, Ohnuki A, Miyazawa T, Nawashiro H, Shima K. Neuroendoscopic identification of a basilar artery tip aneurysm in the third ventricle. Case illustration, 1138
Ishikawa E, Yanaka K, Sugimoto K, Ayuzawa S, Nose T. Reversible dementia in patients with chronic subdural hematomas, 680
Ito K. *See* Kakizawa Y, 770
Ivkić G. *See* Glunčić V, 965
Iwamuro Y, Seo S, Hirose Y, Jito J, Shirahata M, Tokime T, Hosotani K, Tokuriki Y. Intrathecal and intraperitoneal germinomas occurring 20 years after total removal of pineal teratoma. Case report, 364

Jaggi JL. *See* Simuni T, 666
Jahan R. *See* Song JK, 792
Jakobsson KE. *See* Fridriksson S, 515
Jandolo B. *See* Pompili A, 229
Jane JA Sr. *See* Winn HR, 43
Jannin P, Morandi X, Fleig OJ, Le Rumeur E, Toulouse P, Gibaud B, Scarabin JM. Integration of sulcal and functional information for multimodal neuronavigation, 713
Jean B. *See* Sugiu K, 373
Jenkins AL III, Woodard EJ. Book review, 967
Jeuken JWM, Sprenger SHE, Vermeer H, Kappelle AC, Boerman RH, Wesseling P. Chromosomal imbalances in primary oligodendroglial tumors and their recurrences: clues about malignant progression detected using comparative genomic hybridization, 559
Jito J. *See* Iwamuro Y, 364
Jokura H. *See* Shirane R, 704
Joo JY. *See* Ahn JY, 585
Jung HW. *See* Kim MS, 952
Juvela S. Unruptured aneurysms. Editorial, 58
———, Porras M, Poussa K. Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture, 57

Kadyrov NA, Friedman JA, Nichols DA, Cohen-Gadol A, Link MJ, Piepgras DG. Endovascular treatment of an internal carotid artery pseudoaneurysm following transsphenoidal surgery. Case report, 624
Kaemmerle AW. *See* Lapsiwala SB, 872
Kai Y. *See* Hamada JI, 867
Kaiser D. *See* Winn HR, 43
Kakizawa Y, Nagashima H, Oya F, Ito K, Tanaka Y, Hongo K, Kobayashi S. Compartments of arteriovenous malformation nidi demonstrated with rotational three-dimensional digital subtraction angiography by using selective microcatheterization. Report of three cases, 770

KAKKAR AK. *See* Walsh DC, 806
KALKANIS JG, KRISHNA P, ESPINOSA JA, NARITOKU DK. Self-inflicted vocal cord paralysis in patients with vagus nerve stimulators. Report of two cases, 949
KAMIKAWA S. *See* Ishihara S, 1138
KAMIRYO T, TADA K, SHIRAISHI S, SHINOJIMA N, NAKAMURA H, KOCHI M, KURATSU JI, SAYA H, USHIO Y. Analysis of homozygous deletion of the *p16* gene and correlation with survival in patients with glioblastoma multiforme, 815
KANNER AA, CONSTANTINI S. Thromboprophylaxis. Letter, 807
———. *See* Constantini S, 808
KAO M. Gamma knife surgery for trigeminal neuralgia. Letter, 160
KAPPELLE AC. *See* Jeuken JWM, 559
KAPTAIN GJ. Book review, 803
KARABIYIKOGLU M. *See* Dalbasti T, 381, 382
KARRISON T. *See* Weir B, 64
KASAI M. *See* Yamamoto T, 1162, 1163
KASSAM AB. *See* Tyler-Kabara EC, 527
KASSELL NF. *See* Dumont AS, 52, 985
———. *See* Wiebers DO, 50
KASUYA H. Statistical techniques and vasospasm. Letter, 381
KATAYAMA Y, OSHIMA H, FUKAYA C, YAMAMOTO T. Parkinson disease. Letter, 641
———. *See* Yamamoto T, 1162, 1163
KATOH H. *See* Ishihara S, 1138
KAWAHARA N. *See* Shin M, 641
KAWAMATA T. *See* Mitsuyama T, 1072
KAWASE T. *See* Murakami H, 877
KAYAMA T. *See* Kokubo Y, 1084
KEEP RF. *See* Huang FP, 287
KELLY DF. *See* Oertel M, 109
KELLY PJ. *See* Mogilner AY, 660
KETT-WHITE R, HUTCHINSON PJ, AL-RAWI PG, CZOSNYKA M, GUPTA AK, PICKARD JD, KIRKPATRICK PJ. Cerebral oxygen and microdialysis monitoring during aneurysm surgery: effects of blood pressure, cerebrospinal fluid drainage, and temporary clipping on infarction, 1013
———. *See* Gupta AK, 263
KIEFER M. *See* Strowitzki M, 628
KIKUCHI H. *See* Yamada K, 731
KIM HL. *See* Ishibashi H, 724
KIM MS, OH CW, HAN DH, KWON OK, JUNG HW, HAN MH. Intraosseous dural arteriovenous fistula of the skull base associated with hearing loss. Case report, 952
KIM TS. *See* Ahn JY, 585
KIMURA Y. *See* Uemura T, 900
KING D. *See* Mendez I, 589
KINOUCHI H, FUTAWATARI K, MIZOI K, HIGASHIYAMA N, KOJIMA H, SAKAMOTO T. Endoscope-assisted clipping of a superior hypophyseal artery aneurysm without removal of the anterior clinoid process. Case report, 788
———, MIZOI K. Anterior paraclinoid aneurysms. Editorial, 982
———, ———, NAGAMINE Y, YANAGIDA N, MIKAWA S, SUZUKI A, SASAJIMA T, YOSHIMOTO T. Anterior paraclinoid aneurysms, 1000
KIRINO T. *See* Shin M, 641
KIRKPATRICK PJ. *See* Gupta AK, 263
———. *See* Kett-White R, 1013
KITANO S. *See* Imai K, 654
KITCHEN N. *See* Goetz P, 611
KLOSTERHALFEN B. *See* Quester R, 760
KLUG N. *See* Quester R, 760
KLUWE L. *See* Mautner VF, 223
KNAUFF U. *See* Schneider T, 331
KOBAYASHI K. *See* Yamamoto T, 1162, 1163
KOBAYASHI S. *See* Hongo K, 648
———. *See* Kakizawa Y, 770
———. *See* Tanaka Y, 649
KOCHI M. *See* Kamiryo T, 815
KOGURE S. *See* Takahashi JC, 132
KOJIMA H. *See* Kinouchi H, 788
KOJIMA M. *See* Murakami H, 877
KOKUBO Y, MATSON GB, LIU J, MANCUSO A, KAYAMA T, SHARP FR, WEINSTEIN PR. Correlation between changes in apparent diffusion coefficient and induction of heat shock protein, cell-specific injury marker expression, and protein synthesis reduction on diffusion-weighted magnetic resonance images after temporary focal cerebral ischemia in rats, 1084
KOLLIAS SS, BERNAYS RL. Interactive magnetic resonance imaging. Letter, 384
KOMUNE H. *See* Imai K, 654
KOMURO T. *See* Ono S, 986, 1094
KONDZIOLKA D. Gamma knife surgery for trigeminal neuralgia. Letter, 161
KORDECKI K. *See* Mariak Z, 323
KOULOUSAKIS A. *See* Voges J, 269
KOVACS K. *See* Gaffey TA, 352
KOYAMA JI. *See* Tanaka Y, 649
KRAUSS JK. *See* Loher TJ, 844
KREITER KT. *See* Mack WJ, 71
KREJZA J. *See* Mariak Z, 323
KRISHNA P. *See* Kalkanis JG, 949
KUCHTA J. *See* Otto SR, 1063
KUMANISHI T. *See* Nagai S, 909
KUMAR PV. *See* Monabati A, 1127
KURATSU JI. *See* Kamiryo T, 815
KURIMOTO M. *See* Nagai S, 909
KURISU K. *See* Hama S, 209
KUROKI T. *See* Gaffey TA, 352
KUSAKA Y. *See* Shirane R, 704
KWON OK. *See* Kim MS, 952
KWON SO. *See* Ahn JY, 585

LAFUENTE J. *See* Goetz P, 611
LANGER M. *See* Imberti R, 97, 156
LANZINO G. Book review, 151
———, LAWS ER JR. Transphenoidal surgery. Letter, 1160
———. *See* Dumont AS, 52
———. *See* Lopes DK, 490
LAPSIWALA SB, PYLE GM, KAEMMERLE AW, SASSE FJ, BADIE B. Correlation between auditory function and internal auditory canal pressure in patients with vestibular schwannomas, 872
LAWS ER JR. *See* Lanzino G, 1160
———. *See* Meij BP, 195
LEE JH. *See* Oertel M, 109
LEE K. Book review, 633
LEHMAN NL, HOROUPIAN DS, WARNKE RA, SUNDRAM UN, PETERSON K, HARSH GR IV. Dural marginal zone lymphoma with massive amyloid deposition: rare low-grade primary central nervous system B-cell lymphoma. Case report, 368

Lehman RM. Deep brain stimulation. Letter, 1162
Lehr S. *See* Novak K, 464
Lehrke R. *See* Voges J, 269
Lei CMC. *See* Oweity T, 344
Lemole GM Jr. *See* Henn JS, 144
Le Rumeur E. *See* Jannin P, 713
Levy EI. *See* Tyler-Kabara EC, 527
Lewko J. *See* Mariak Z, 323
Ley JJ. *See* Belayev L, 1077
Liaquat I, Dunn LT, Nicoll JAR, Teasdale GM, Norrie JD. Effect of apolipoprotein E genotype on hematoma volume after trauma, 90
Link MJ. *See* Kadyrov NA, 624
Liprandi A. *See* Piercecchi-Marti MD, 619
Liu J. *See* Kokubo Y, 1084
Liu JK. *See* Meiteles LZ, 796
Liu KD *See* Pan DHC, 823
Liu Y. *See* Belayev L, 1077
Lloyd RV. *See* Gaffey TA, 352
Loher TJ, Burgunder JM, Pohle T, Weber S, Sommerhalder R, Krauss JK. Long-term pallidal deep brain stimulation in patients with advanced Parkinson disease: 1-year follow-up study, 844
Loiseau H. *See* Cuny E, 294
Lopes DK, Mericle RA, Lanzino G, Wakhloo AK, Guterman LR, Hopkins LN. Stent placement for the treatment of occlusive atherosclerotic carotid artery disease in patients with concomitant coronary artery disease, 490
Lopes MBS. *See* Meij BP, 195
Lozier A. *See* Mack WJ, 71
Luedemann W, Hamm M, Blömer U, Samii M, Tatagiba M. Brachial plexus neurotization with donor phrenic nerves and its effect on pulmonary function, 523
Lukić IK. *See* Glunčić V, 965

Macdonald RL. *See* Ono S, 986, 1094
Mack WJ, Mocco J, Hoh DJ, Huang J, Choudhri TF, Kreiter KT, Lozier A, Opperman M, Poisik A, Yorgason J, Solomon RA, Mayer SA, Connolly ES Jr. Outcome prediction with serum intercellular adhesion molecule-1 levels after aneurysmal subarachnoid hemorrahge, 71
Mackinnon SE. *See* Grand AG, 924
Macrì B. *See* Grasso G, 565
Madsen JR. *See* Tzika AA, 1023
Maggio WW. *See* Ishibashi H, 724
Magram G. Book review, 378
Maher CO, Spinner RJ, Giannini C, Scheithauer BW, Crum BA. Neuromuscular choristoma of the sciatic nerve. Case report, 1123
Makariou EV. *See* Baser ME, 217
Malik GM. *See* Veyna RS, 510
Mancuso A. *See* Kokubo Y, 1084
Manno E. *See* Friedman JA, 1161
Manrique M. *See* Guridi J, 1163
Mariak Z, Krejza J, Swiercz M, Kordecki K, Lewko J. Accuracy of transcranial color Doppler ultrasonography in the diagnosis of middle cerebral artery spasm determined by receiver operating characteristic analysis, 323
Marquardt G. *See* Gerlach R, 946

Marras C. *See* Ferroli P, 641
Marrocco A. *See* Veyna RS, 510
Martin JB. *See* Sugiu K, 373
Martin NA. *See* Oertel M, 109
———. *See* Song JK, 792
Marušić A. *See* Glunčić V, 965
Marwaha AS. *See* Higashi H, 117
Marx W. Book review, 152
Mathern BE. *See* Broaddus WC, 244
Mathews JC. *See* Gupta AK, 263
Matson GB. *See* Kokubo Y, 1084
Matsushima T. Posterior fossa aneurysms. Letter, 637
Mautner VF, Baser ME, Thakkar SD, Feigen UM, Friedman JM, Kluwe L. Vestibular schwannoma growth in patients with neurofibromatosis Type 2: a longitudinal study, 223
Mawad ME, Cekirge S, Ciceri E, Saatci I. Endovascular treatment of giant and large intracranial aneurysms by using a combination of stent placement and liquid polymer injection, 474
Mayer SA. *See* Mack WJ, 71
Mayer TE. *See* Wiesmann M, 684
Mazzullo G. *See* Grasso G, 565
McAlister V. *See* Mendez I, 589
McAllister JP II. *See* Ding Y, 310
McArthur D. *See* Oertel M, 109
McBride DQ. *See* Oertel M, 109
McCarthy WH. *See* Zacest AC, 552
McGirt MJ, Villavicencio AT, Bulsara KR, Friedman HS, Friedman AH. Management of tumor bed cysts after chemotherapeutic wafer implantation. Report of four cases, 941
Medele R. *See* Wiesmann M, 684
Meij BP, Lopes MBS, Ellegala DB, Alden TD, Laws ER Jr. The long-term significance of microscopic dural invasion in 354 patients with pituitary adenomas treated with transsphenoidal surgery, 195
Meissner I. *See* Wiebers DO, 50
Meiteles LZ, Liu JK, Couldwell WT. Hearing restoration after resection of an intracanalicular vestibular schwannoma: a role for emergency surgery? Case report and review of the literature, 796
Mendelow AD. *See* Siddique MS, 86, 736
Mendez I, Dagher A, Hong M, Gaudet P, Weerasinghe S, McAlister V, King D, Desrosiers J, Darvesh A, Acorn T, Robertson H. Simultaneous intrastriatal and intranigral fetal dopaminergic grafts in patients with Parkinson disease: a pilot study. Report of three cases, 589
Meno JR. *See* Higashi H, 117
Menon DK. *See* Gupta AK, 263
Mercier P. *See* Pasco A, 127
Mericle RA. *See* Lopes DK, 490
Metzger AK. *See* Ubogu EE, 140
Meyer FB. *See* Schrijver I, 483
Meyermann R. *See* Schwab JM, 892
Michaeli D, Rappaport ZH. Tissue resonance analysis: a novel method for the noninvasive monitoring of intracranial pressure. Technical note, 1132
Mikawa S. *See* Kinouchi H, 1000
Milhorat TH. *See* Adler DE, 1103
Minchew C. *See* Didenko VV, 580
Mine Y. *See* Murakami H, 877

Mingione V, Oliveira M, Prasad D, Steiner M, Steiner L. Gamma surgery for melanoma metastases in the brain, 544
Minhas PS. *See* Gupta AK, 263
Mitsias PD. *See* Veyna RS, 510
Mitsuyama T, Kawamata T, Yamane F, Awaya A, Hori T. Role of a synthetic pyrimidine compound, MS-818, in reduction of infarct size and amelioration of sensorimotor dysfunction following permanent focal cerebral ischemia in rats, 1072
Miyamoto S. *See* Yamada K, 731
Miyazawa T. *See* Ishihara S, 1138
Mizoi K. *See* Kinouchi H, 788, 982, 1000
Mlynarek M. *See* Veyna RS, 510
Mocco J. *See* Mack WJ, 71
Mogilner AY, Sterio D, Rezai AR, Zonenshayn M, Kelly PJ, Beric A. Subthalamic necleus stimulation in patients with a prior pallidotomy, 660
Mohamed H. *See* Piercecchi-Marti MD, 619
Monabati A, Rakei SM, Kumar PV, Taghipoor M, Rahimi A. Primary Burkitt lymphoma of the brain in an immunocompetent patient. Case report, 1127
Mooij JJA. *See* de Witt Hamer PC, 1041
Morabito A. *See* Grasso G, 565
Moran CJ. *See* Derdeyn CP, 837
Morandi X. *See* Jannin P, 713
Moriggl B. *See* Yousry I, 1113
Morikawa A. *See* Hanabusa K, 806
Morioka M. *See* Hamada Ji, 867
Morita A. *See* Shin M, 641
Moritake K. *See* Uemura T, 900
Morton R. *See* Sampson FC, 1052
Moseley CD. Book review, 153
Motoyama Y, Isaka F, Nabeshima S. Internal intracranial encephalocele reduced by a subdural–peritoneal shunt. Case illustration, 966
Muizelaar JP. Book review, 1155
Mulholland H. *See* Simuni T, 666
Murakami H, Hirose Y, Sagoh M, Shimizu K, Kojima M, Gotoh K, Mine Y, Hayashi T, Kawase T. Why do chronic subdural hematomas continue to grow slowly and not coagulate? Role of thrombomodulin in the mechanism, 877
Murali R. *See* Hahn M, 1130
Murata T. *See* Hanabusa K, 806
Murphy KJ. *See* Chiang VL, 988
———. *See* Tamargo RJ, 980
Myckatyn TM. *See* Grand AG, 924

Nabeshima S. *See* Motoyama Y, 966
Nagai S, Washiyama K, Kurimoto M, Takaku A, Endo S, Kumanishi T. Aberrant nuclear factor-κB activity and its participation in the growth of human malignant astrocytoma, 909
Nagamine Y. *See* Kinouchi H, 1000
Nagashima H. *See* Kakizawa Y, 770
———. *See* Tanaka Y, 649
Nagata I. *See* Takahashi JC, 132
———. *See* Yamada K, 731
Naidich TP. *See* Yousry I, 1113
Nakamura H. *See* Kamiryo T, 815
Namba H. *See* Ohta S, 600
Nanda A, Vincent DA, Vannemreddy PSSV, Baskaya MK, Chanda A. Far-lateral approach to intradural lesions of the foramen magnum without resection of the occipital condyle, 302
Naritoku DK. *See* Kalkanis JG, 949
Natarajan K. *See* Bentley RP, 742, 747
Nawashiro H. *See* Ishihara S, 1138
Nemoianu A. *See* Huang FP, 287
New G. *See* Qureshi AI, 830
Newman NJ. Book review, 634
Newman SA. Book review, 1154
Ngo HN. *See* Didenko VV, 580
Nichols DA. *See* Kadyrov NA, 624
———. *See* Wiebers DO, 50
Nichols V. *See* Veyna RS, 510
Nicoll JAR. *See* Liaquat I, 90
Niendorf WR. *See* Schroeder HWS, 1032
Nishisaka T. *See* Hama S, 209
Nishizawa S. *See* Ohta S, 600
Nist L. Book review, 1156
Nitsch J. *See* Schneider T, 331
Nomachi T. *See* Imai K, 654
Norrie JD. *See* Liaquat I, 90
Nose T. *See* Ishikawa E, 680
Novak K, Czech T, Prayer D, Dietrich W, Serles W, Lehr S, Baumgartner C. Individual variations in the sulcal anatomy of the basal temporal lobe and its relevance for epilepsy surgery: an anatomical study performed using magnetic resonance imaging, 464
Nukui H. *See* Horikoshi T, 697

Oakes WJ. *See* Tubbs RS, 320
Obukhov D. *See* Oertel M, 109
Occhipinti E. *See* Pompili A, 229
Oertel J. *See* Piek J, 690
Oertel M, Kelly DF, McArthur D, Boscardin WJ, Glenn TC, Lee JH, Gravori T, Obukhov D, McBride DQ, Martin NA. Progressive hemorrhage after head trauma: predictiors and consequences of the evolving injury, 109
Ogle R. Craniofacial surgery. Letter, 637
Oh CW. *See* Kim MS, 952
Ohnuki A. *See* Ishihara S, 1138
Ohta S, Nishizawa S, Namba H, Sugimura H. Bilateral cavernous sinus actinomycosis resulting in painful ophthalmoplegia. Case report, 600
Oktar N. *See* Dalbasti T, 381, 382
Oldfield EH. *See* Watson JC, 918
———. *See* Weil RJ, 775
Oliveira M. *See* Mingione V, 544
Olson JJ. *See* Stubbs JB, 335
Ono S, Komuro T, Macdonald RL. Heme oxygenase-1 gene therapy for prevention of vasospasm in rats, 1094
———, ———, ———. Vasospasm. Editorial, 986
Opperman M. *See* Mack WJ, 71
Oshima H. *See* Katayama Y, 641
———. *See* Yamamoto T, 1162, 1163
Osterdock R. Book review, 379
Otto SR, Brackmann DE, Hitselberger WE, Shannon RV, Kuchta J. Multichannel auditory brainstem implant: update on performance in 61 patients, 1063

Oweity T, Scheithauer BW, Ching HS, Lei CMC, Wong KP. Multiple system Erdheim–Chester disease with massive hypothalmic–sellar involvement and hypopituitarism. Case report and review of the literature, 344
Oya F. *See* Kakizawa Y, 770
Ozdamar N. *See* Dalbasti T, 381, 382
Özgen T. *See* Ziyal IM, 640

Pace A. *See* Pompili A, 229
Pack SD. *See* Weil RJ, 775
Palur RS, Berk C, Schulzer M, Honey CR. A metaanalysis comparing the results of pallidotomy performed using microelectrode recording or macroelectrode stimulation, 1058
Pan DHC, Chung WY, Guo WY, Wu HM, Liu KD, Shiau CY, Wang LW. Stereotactic radiosurgery for the treatment of dural arteriovenous fistulas involving the transverse–sigmoid sinus, 823
Papanicolaou AC. *See* Ishibashi H, 724
Papon X. *See* Pasco A, 127
Park H. *See* Ding Y, 310
Parry DA. *See* Gupta AK, 263
Parry DM. *See* Baser ME, 217
Pasco A, Thouveny F, Papon X, Tanguy JY, Mercier P, Caron-Poitreau C, Herbreteau D. Ruptured aneurysm on a double origin of the posterior inferior cerebellar artery: a pathological entity in an anatomical variation. Report of two cases and review of the literature, 127
Passacantilli E. *See* Santoro A, 135
Passalacqua M. *See* Grasso G, 565
Patel AB. *See* Song JK, 792
Pellissier JF. *See* Piercecchi-Marti MD, 619
Penchet G. *See* Cuny E, 294
Peters TM. *See* Atkinson JD, 854
Peterson K. *See* Lehman NL, 368
Phillips CD. Neurovascular compression. Editorial, 983
Pickard JD. *See* Gupta AK, 263
———. *See* Kett-White R, 1013
Picot MC. *See* Vayssiere N, 673
Piek J, Oertel J, Gaab MR. Waterjet dissection in neurosurgical procedures: clinical results in 35 patients, 690
Piepgras DG. Unruptured aneurysms. Editorial, 63
———. *See* Kadyrov NA, 624
———. *See* Wiebers DO, 50
Piercecchi-Marti MD, Mohamed H, Liprandi A, Gambarelli D, Grisoli F, Pellissier JF. Intracranial meningeal melanocytoma associated with ipsilateral nevus of Ota. Case report, 619
Pike GB. *See* Atkinson JD, 854
Pilgram TK. *See* Derdeyn CP, 837
Pluta RM. *See* Watson JC, 918
Pohle T. *See* Loher TJ, 844
Poisik A. *See* Mack WJ, 71
Pollock BE, Flickinger JC. A proposed radiosurgery-based grading system for arteriovenous malformations, 79
Pompili A, Caperle M, Pace A, Ramazzotti V, Raus L, Jandolo B, Occhipinti E. Quality-of-life assessment in patients who had been surgically treated for cerebellar pilocytic astrocytoma in childhood, 229
Porras M. *See* Juvela S, 57
Porterfield R. *See* Chyatte D, 160
Poussa K. *See* Juvela S, 57
Powell M. *See* Gnanalingham KK, 960
Powers WJ. *See* Diringer MN, 103, 158
Prasad D. *See* Mingione V, 544
Prayer D. *See* Novak K, 464
Preul MC. *See* Henn JS, 144
Pyle GM. *See* Lapsiwala SB, 872

Quester R, Klosterhalfen B, Stützer H, Schröder R, Klug N. Polyester meshes and adhesive materials in the brain: comparative research in rats to optimize surgical strategy, 760
Qureshi AI, Suri FK, New G, Wadsworth DC Jr, Dulin J, Hopkins LN. Multicenter study of the feasibility and safety of using the Memotherm carotid arterial stent for extracranial carotid artery stenosis, 830

Raabe A. *See* Gerlach R, 946
Rahimi A. *See* Monabati A, 1127
Rak R. *See* Watson JC, 918
Rakei SM. *See* Monabati A, 1127
Ramazzotti V. *See* Pompili A, 229
Rappaport ZH. *See* Devor M, 532, 603
———. *See* Michaeli D, 1132
Raus L. *See* Pompili A, 229
Ravina B. *See* Simuni T, 666
Reiter GT. *See* Abrahams JM, 1160
Revesz T. *See* Gnanalingham KK, 960
———. *See* Goetz P, 611
Rezai AR. *See* Mogilner AY, 660
Rich KM. *See* Derdeyn CP, 837
Riehle DL. *See* Gaffey TA, 352
Rigamonti D. *See* Chiang VL, 988
———. *See* Clatterbuck RE, 964
———. *See* Tamargo RJ, 980
Riina HA, Spetzler RF. Unruptured aneurysms. Editorial, 61
Robbins P. *See* Gaffey TA, 352
Robertson H. *See* Mendez I, 589
Rosahl SK, Roser F, Samii M. Renal metastasis. Letter, 804
Roser R. *See* Rosahl SK, 804
Ross I. *See* Ishihara S, 1138
Ross IB. Book review, 378
Rostomily RC. *See* Silbergeld DL, 809
Rovit RL. Transphenoidal surgery. Letter, 1159
Rüfenacht DA. *See* Sugiu K, 373

Saatci I. *See* Mawad ME, 474
Sadikot AF. *See* Atkinson JD, 854
Säglitz SA, Gaab MR. Investigations using magnetic resonance imaging: is neurovascular compression present in patients with essential hypertension, 1006
———. *See* Gaab MR, 984
Sagoh M. *See* Murakami H, 877
Saito K. *See* Tachibana E, 280
Sakai H. *See* Takahashi JC, 132

Sakai N. *See* Takahashi JC, 132
Sakamoto H. *See* Imai K, 654
Sakamoto T. *See* Kinouchi H, 788
Salter G. *See* Tubbs RS, 320
Samii M. *See* Luedemann W, 523
———. *See* Rosahl SK, 804
Sampson FC, Hayward A, Evans G, Morton R, Collett B. Functional benefits and cost/benefit analysis of continuous intrathecal baclofen infusion for the management of severe spasticity, 000
Sanchez-Herrera F. *See* Sanchez-Vazquez MA, 972
Sanchez-Vazquez MA, Sanchez-Herrera F. Eyebrow incision. Letter, 972
Sandalcioglu IE. *See* Wiedemayer J, 255
Sandberg DI, Edgar MA, Souweidane MM. Convection-enhanced delivery into the rat brainstem, 885
Sanders DK. *See* Ishibashi H, 724
Santoro A, Passacantilli E, Guidetti G, Dazzi M, Guglielmi G, Cantore G. Bypass combined with embolization via a venous graft in a patient with a giant aneurysm in the posterior communicating artery and bilateral idiopathic occlusion of the internal carotid artery in the neck. Case report, 135
Sarnat HB, Sarnat BG, Salyer KE. Book review, 150
Sasajima T. *See* Kinouchi H, 1000
Sasse FJ. *See* Lapsiwala SB, 872
Säveland H. *See* Fridriksson S, 515
Sawaya R, Suki D. Resection of glioblastoma. Letter, 810
Saya H. *See* Kamiryo T, 815
Scarabin JM. *See* Jannin P, 713
Schäfer H. *See* Wiedemayer J, 255
Scharrer I. *See* Gerlach R, 946
Scheithauer BW. *See* Gaffey TA, 352
———. *See* Maher CO, 1123
———. *See* Oweity T, 344
Scheufler KM, Zentner J. Total intravenous anesthesia for intraoperative monitoring of the motor pathways: an integral view combining clinical and experimental data, 571
Schievink WI. *See* Schrijver I, 483
Schluesener HJ. *See* Schwab JM, 892
Schmid UD. *See* Yousry I, 1113
Schneider T, Knauff U, Nitsch J, Firsching R. Electromagnetic field hazards involving adjustable shunt valves in hydrocephalus, 331
Schornak M. *See* Henn JS, 144
Schott W. *See* Fahlbusch R, 235
Schrijver I, Schievink WI, Godfrey M, Meyer FB, Francke U. Spontaneous spinal cerebrospinal fluid leaks and minor skeletal features of Marfan syndrome: a microfibrillopathy, 483
Schröder R. *See* Quester R, 760
Schroeder HWS, Niendorf WR, Gaab MR. Complications of endoscopic third ventriculostomy, 1032
Schultz K. *See* Stubbs JB, 335
Schulze-Bonhage A. *See* Honegger J, 248
Schulzer M. *See* Palur RS, 1058
Schwab JM, Beschorner R, Meyermann R, Gözalan F, Schluesener HJ. Persistent accumulation of cyclooxygenase-1–expressing microglial cells and macrophages and transient upregulation by endothelium in human brain injury, 892
Schwartz MS. *See* Cudlip SA, 1046
Scott RM. *See* Tzika AA, 1023
Sebo TJ. *See* Gaffey TA, 352
Seifert V. *See* Gerlach R, 946
Seo S. *See* Iwamuro Y, 364
Serles W. *See* Novak K, 464
Seyfried D. *See* Veyna RS, 510
Sfacteria A. *See* Grasso G, 565
Sgouros S. *See* Bentley RP, 742, 747
Shaffrey ME. Book review, 801
Shannon RV. *See* Otto SR, 1063
Sharp FR. *See* Kokubo Y, 1084
Shiau CY *See* Pan DHC, 823
Shields CB, Shields LBE. R. Glen Spurling: surgeon, author, and neurosurgical visionary. Historical vignette, 1147
Shields LBE. *See* Shields CB, 1147
Shima K. *See* Ishihara S, 1138
Shimizu K. *See* Murakami H, 877
Shin M, Ueki K, Kawahara N, Morita A, Kirino T. Cavernous sinus meningioma. Letter, 641
Shin MS. *See* Ahn JY, 585
Shingu T. *See* Uemura T, 900
Shinojima N. *See* Kamiryo T, 815
Shirahata M. *See* Iwamuro Y, 364
Shiraishi S. *See* Kamiryo T, 815
Shirane R, Su Cc, Kusaka Y, Jokura H, Yoshimoto T. Surgical outcomes in 31 patients with craniopharyngiomas extending outside the suprasellar cistern: an evaluation of the frontobasal interhemispheric approach, 704
Siddique MS, Fernandes HM, Wooldridge TD, Fenwick JD, Slomka P, Mendelow AD. Reversible ischemia around intracerebral hemorrhage: a single-photon emission computerized tomography study, 736
———, Gregson BA, Fernandes HM, Barnes J, Treadwell L, Wooldridge TD, Mendelow AD. Comparative study of traumatic and spontaneous intracerebral hemorrhage, 86
Siderowf AD. *See* Simuni T, 666
Silbergeld DL, Rostomily RC. Resection of glioblastoma. Letter, 809
Simos PG. *See* Ishibashi H, 724
Simuni T, Jaggi JL, Mulholland H, Hurtig HI, Colcher A, Siderowf AD, Ravina B, Skolnick BE, Goldstein R, Stern MB, Baltuch GH. Bilateral stimulation of the subthalamic nucleus in patients with Parkinson disease: a study of efficacy and safety, 666
Sinson GP. *See* Abrahams JM, 1160
Skolnick BE. *See* Simuni T, 666
Slomka P. *See* Siddique MS, 736
Smith KA. Book review, 380
Solomon RA. *See* Mack WJ, 71
Sommerhalder R. *See* Loher TJ, 844
Song JK, Patel AB, Duckwiler GR, Gobin YP, Jahan R, Martin NA, Cacayorin ED, Viñuela F. Adult pial arteriovenous fistula and superior sagittal sinus stenosis: angiographic evidence for high-flow venopathy at an atypical location. Case report, 792
Souweidane MM. *See* Sandberg DI, 885
Spetzler RF. *See* Henn JS, 144
———. *See* Riina HA, 61
Spinner RJ. *See* Maher CO, 1123
Spreer J. *See* Honegger J, 248
Sprenger SHE. *See* Jeuken JWM, 559

Steiger HJ. *See* Stummer W, 809
Steiner L. Renal metastasis. Letter, 805
———. *See* Mingione V, 544
Steiner LA. *See* Czosnyka M, 1158
Steiner M. *See* Mingione V, 544
Sterio D. *See* Mogilner AY, 660
Stern MB. *See* Simuni T, 666
Steudel WI. *See* Strowitzki M, 628
Stevens G. *See* Zacest AC, 552
Stolke D. *See* Wiedemayer J, 255
Stone DJ. Book review, 969
Strowitzki M. Interactive magnetic resonance imaging. Letter, 383
———, Kiefer M, Steudel WI. A new method of ultrasonic guidance of neuroendoscopic procedures. Technical note, 628
Stubbs JB, Frankel RH, Schultz K, Crocker I, Dillehay D, Olson JJ. Preclinical evaluation of a novel device for delivering brachytherapy to the margins of resected brain tumor cavities, 335
Stummer W, Steiger HJ. Resection of glioblastoma. Letter, 809
Sturm V. *See* Voges J, 269
Stützer H. *See* Quester R, 760
Su Cc. *See* Shirane R, 704
Sugimoto K. *See* Ishikawa E, 680
Sugimura H. *See* Ohta S, 600
Sugita M. *See* Horikoshi T, 697
Sugiu K, Martin JB, Jean B, Rüfenacht DA. Rescue balloon procedure for an emergency situation during coil embolization for cerebral aneurysms. Technical note, 373
Sugiyama K. *See* Hama S, 209
Suki D. *See* Sawaya R, 810
Sumida M. *See* Hama S, 209
Sundram UN. *See* Lehman NL, 368
Suri FK. *See* Qureshi AI, 830
Suzuki A. *See* Kinouchi H, 1000
Suzuki C. *See* Ishihara S, 1138
Swiercz M. *See* Mariak Z, 323

Tachibana E, Saito K, Fukuta K, Yoshida J. Evaluation of the healing process after dural reconstruction achieved using a free fascial graft, 280
Tada K. *See* Kamiryo T, 815
Tada T. *See* Tanaka Y, 649
Taghipoor M. *See* Monabati A, 1127
Takahashi JC, Sakai N, Iihara K, Sakai H, Higashi T, Kogure S, Taniguchi A, Ueda HI, Nagata I. Subarachnoid hemorrhage from a ruptured anterior cerebral artery aneurysm caused by polyarteritis nodosa. Case report, 132
Takaku A. *See* Nagai S, 909
Takayama M. *See* Yamada K, 731
Taki W. *See* Hanabusa K, 806
Tamargo RJ, Gailloud P, Murphy KJ, Rigamonti D, Chiang VL. Intraoperative angiography. Editorial, 980
———. *See* Borden WB, 1139
———. *See* Chiang VL, 988
Tanaka Y, Hongo K, Tada T, Nagashima H, Horiuchi T, Goto T, Koyama JI, Kobayashi S. Radiometric analysis of paraclinoid carotid artery aneurysms, 649
———. *See* Hongo K, 648
———. *See* Kakizawa Y, 770
Tang G, Cawley CM, Dion JE, Barrow DL. Intraoperative angiography during aneurysm surgery: a prospective evaluation of efficacy, 993
———. *See* Barrow DL, 980
Tanguy JY. *See* Pasco A, 127
Taniguchi A. *See* Takahashi JC, 132
Tasker RR. *See* Devor M, 603
Tatagiba M. *See* Luedemann W, 523
Taylor J. *See* Winn HR, 43
Teasdale GM. *See* Liaquat I, 90
TerBrugge KG. *See* van Dijk JMC, 76
Thakkar SD. *See* Mautner VF, 223
Theodore N. *See* Weil RJ, 775
Thomas AJ. *See* Veyna RS, 510
Thomeer RTWM. *See* de Witt Hamer PC, 1041
Thompson JF. *See* Zacest AC, 552
Thouveny F. *See* Pasco A, 127
Toda C. *See* Imai K, 654
Todaka T. *See* Hamada JI, 867
Tokime T. *See* Iwamuro Y, 364
Tokuriki Y. *See* Iwamuro Y, 364
Tomasello F. *See* Grasso G, 565
Tominaga A. *See* Hama S, 209
Torner J. *See* Wiebers DO, 50
Toulouse P. *See* Jannin P, 713
Treadwell L. *See* Siddique MS, 86
Tsuzuki N. *See* Ishihara S, 1138
Tubbs RS, Elton S, Salter G, Blount JP, Grabb PA, Oakes WJ. Superficial surgical landmarks for the frontal sinus, 320
Tyler-Kabara EC, Kassam AB, Horowitz MH, Urgo L, Hadjipanayis C, Levy EI, Chang YF. Predictors of outcome in surgically managed patients with typical and atypical trigeminal neuralgia: comparison of results following microvascular decompression, 527
Tzika AA, Cheng LL, Goumnerova L, Madsen JR, Zurakowski D, Astrakas LG, Zarifi MK, Scott RM, Anthony DC, Gonzalez RG, Black PM. Biochemical characterization of pediatric brain tumors by using in vivo and ex vivo magnetic resonance spectroscopy, 1023

Ubogu EE, Chase CM, Verrees MA, Metzger AK, Zaidat OO. Cervicomedullary junction compression caused by vertebral artery dolichoectasia and requiring surgical treatment. Case report, 140
Uedua HI. *See* Takahashi JC, 132
Ueki K. *See* Shin M, 641
Uemura T, Moritake K, Akiyama Y, Kimura Y, Shingu T, Yamasaki T. Experimental validation of deuterium oxide–mediated antitumoral activity as it relates to apoptosis in murine malignant astrocytoma cells, 900
Urgo L. *See* Tyler-Kabara EC, 527
Ushio Y. *See* Hamada JI, 867
———. *See* Kamiryo T, 815

van Aalst J, Beuls EAM, van Nie FA, Vles JSH, Cornips EMJ. Acute distortion of the anatomy of the third ventricle during third ventriculostomy. Report of four cases, 597

VANDERTOP WP. *See* de Witt Hamer PC, 1041
VAN DIJK JMC, TERBRUGGE KG, WILLINSKY RA, WALLACE MC. Multiplicity of dural arteriovenous fistulas, 76
VAN FUR WR. *See* de Witt Hamer PC, 1041
VANNEMREDDY PSSV. *See* Nanda A, 302
VAN NIE FA. *See* van Aalst J, 597
VAYSSIERE N, HEMM S, CIF L, PICOT MC, DIAKONOVA N, EL FERTIT H, FREREBEAU P, COUBES P. Comparison of atlas- and magnetic resonance imaging–based stereotactic targeting of the globus pallidus internus in the performance of deep brain stimulation for treatment of dystonia, 673
VENKATARAMAN V. *See* Ishibashi H, 724
VERMEER H. *See* Jeuken JWM, 559
VERREES MA. *See* Ubogu EE, 140
VERSTEGEN MJT. *See* de Witt Hamer PC, 1041
VEYNA RS, SEYFRIED D, BURKE DG, ZIMMERMAN C, MLYNAREK M, NICHOLS V, MARROCCO A, THOMAS AJ, MITSIAS PD, MALIK GM. Magnesium sulfate therapy after aneurysmal subarachnoid hemorrhage, 510
VIDEEN TO. *See* Diringer MN, 103
VILLAVICENCIO AT. *See* McGirt MJ, 941
VINCENDEAU P. *See* Cuny E, 294
VINCENT DA. *See* Nanda A, 302
VIÑUELA F. *See* Song JK, 792
VITAL A. *See* Cuny E, 294
VLES JSH. *See* van Aalst J, 597
VOGES J, VOLKMANN J, ALLERT N, LEHRKE R, KOULOUSAKIS A, FREUND HJ, STURM V. Bilateral high-frequency stimulation in the subthalamic nucleus for the treatment of Parkinson disease: correlation of therapeutic effect with anatomical electrode position, 269
VOLKMANN J. *See* Voges J, 269
VORTMEYER AO. *See* Weil RJ, 775

WADSWORTH DC JR. *See* Qureshi AI, 830
WAKHLOO AK. *See* Lopes DK, 490
WALLACE MC. *See* van Dijk JMC, 76
WALSH DC, KAKKAR AK. Thromboprophylaxis. Letter, 806
WANG LW *See* Pan DHC, 823
WANG MC, WINSTON KR, BREEZE RE. Cerebellar mutism associated with a midbrain cavernous malformation. Case report and review of the literature, 607
WARD JD. *See* Broaddus WC, 244
WARNKE RA. *See* Lehman NL, 368
WASHIYAMA K. *See* Nagai S, 909
WATSON JC, GORBACH AM, PLUTA RM, RAK R, HEISS JD, OLDFIELD EH. Real-time detection of vascular occlusion and reperfusion of the brain during surgery by using infrared imaging, 918
WEBER S. *See* Loher TJ, 844
WEEN J. Book review, 802
WEERASINGHE S. *See* Mendez I, 589
WEIL RJ, VORTMEYER AO, ZHUANG Z, PACK SD, THEODORE N, ERICKSON RK, OLDFIELD EH. Clinical and molecular analysis of disseminated hemangioblastomatosis of the central nervous system in patients without von Hippel–Lindau disease. Report of four cases, 775
WEINSTEIN PR. *See* Kokubo Y, 1084
WEIR B. Unruptured intracranial aneurysms: a review, 3
———, DISNEY L, KARRISON T. Sizes of ruptured and unruptured aneurysms in relation to their sites and the ages of patients, 64
WESSELING P. *See* Jeuken JWM, 559
WHELESS JW. *See* Ishibashi H, 724
WHISNANT JP. *See* Wiebers DO, 50
WIEBERS DO, PIEPGRAS DG, BROWN RD JR, MEISSNER I, TORNER J, KASSELL NF, WHISNANT JP, HUSTON J III, NICHOLS DA. Unruptured aneurysms. Editorial, 50
WIEDEMAYER J, FAUSER B, SANDALCIOGLU IE, SCHÄFER H, STOLKE D. The impact of neurophysiological intraoperative monitoring on surgical decisions: a critical analysis of 423 cases, 255
WIESMAN M. *See* Yousry I, 1113
WIESMANN M, MAYER TE, YOUSRY I, MEDELE R, HAMANN GF, BRÜCKMANN H. Detecton of hyperacute subarachnoid hemorrhage of the brain by using magnetic resonance imaging, 684
WILLINSKY RA. *See* van Dijk JMC, 76
WINN HR. Section overview: unruptured aneurysms, 1
———, JANE JA SR, TAYLOR J, KAISER D, BRITZ GW. Prevalence of asymptomatic incidental aneurysms: review of 4568 arteriograms, 43
———. *See* Higashi H, 117
WINSTON KR. *See* Wang MC, 607
WINTERS CI. *See* Broaddus WC, 244
WISSING H. *See* Gerlach R, 946
WITZMANN A. *See* Hejazi N, 956
WONG KP. *See* Oweity T, 344
WOOLDRIDGE TD. *See* Siddique MS, 86, 736
WU HM. *See* Pan DHC, 823

XI G. *See* Huang FP, 287

YAMADA K, MIYAMOTO S, TAKAYAMA M, NAGATA I, HASHIMOTO N, IKADA Y, KIKUCHI H. Clinical application of a new bioabsorbable artifical dura mater, 731
YAMADA S. Book review, 633
YAMAGATA Z. *See* Horikoshi T, 697
YAMAMOTO T, KATAYAMA Y, FUKAYA C, OSHIMA H, KASAI M, KOBAYASHI K. Deep brain stimulation. Letter, 1162, 1163
———. *See* Katayama Y, 641
YAMANE F. *See* Mitsuyama T, 1072
YAMASAKI T. *See* Uemura T, 900
YANAGIDA N. *See* Kinouchi H, 1000
YANAKA K. *See* Ishikawa E, 680
YANO S. *See* Hamada JI, 867
YAO B. *See* Ding Y, 310
YORGASON J. *See* Mack WJ, 71
YOSHIDA J. *See* Tachibana E, 280
YOSHIMOTO T. *See* Kinouchi H, 1000
———. *See* Shirane R, 704
YOSHIOKA H. *See* Hama S, 209
YOUNG HF. *See* Broaddus WC, 244
YOUNG WF JR. *See* Gaffey TA, 352
YOUSRY I, MORIGGL B, SCHMID UD, WIESMAN M, FESL G, BRÜCKMANN H, NAIDICH TP, YOUSRY TA. Detailed anatomy of the intracranial segment of the hypoglossal

nerve: neurovascular relationships and landmarks on magnetic resonance imaging sequences, 1113
———. *See* Wiesmann M, 684
Yousry TA. *See* Yousry I, 1113
Yundt K. *See* Diringer MN, 103

Zacest AC, Besser M, Stevens G, Thompson JF, McCarthy WH, Culjak G. Surgical management of cerebral metastases from melanoma: outcome in 147 patients treated at a single institution over two decades, 552
Zaidat OO. *See* Ubogu EE, 140
Zarifi MK. *See* Tzika AA, 1023
Zazulia AR. *See* Diringer MN, 103, 158
Zentner J. *See* Honegger J, 248
———. *See* Scheufler KM, 571
Zhang W. *See* Ishibashi H, 724
Zhang YJ. Book review, 635
Zhou Y. *See* Ding Y, 310
Zhuang Z. *See* Weil RJ, 775
Zimmerman C. *See* Veyna RS, 510
Zival IM, Özgen T. Cavernous sinus meningioma. Letter, 640
Zonenshayn M. *See* Mogilner AY, 660
Zurakowski D. *See* Tzika AA, 1023
Zygmunt S. *See* Fridriksson S, 515

## Subject Index


Abstracts

Aagaard BDL, Strother CM, Miller KS, Rappe AH. *Development of a nonprimate large-animal thromboembolic model for evaluation of therapeutic approaches in treatment of acute stroke: pilot study results*, 193A

Abbed KM, Carter BS, Ogilvy CS. *Relationship between intraparenchymal hematoma and outcome in the setting of aneurysmal SAH*, 178A

Ackerman LL, Holdsworth RL, Queral LT, Hammond DL. *Loss of IB4-immunoreactive neurons after spinal nerve root ligation in the rat*, 448

———, Menezes AH. *Lumbar dermal sinus tracts*, 441

Albuquerque FC, McDougall CG, Zabramski JM, Spetzler RF. *Role of 3D angiography in aneurysm coil placement*, 173A

Alexander MJ. *Use of an experimental ePTFE-covered stent in a canine CA model*, 176A

———, Eastwood J. *Computerized tomography perfusion imaging to assess patients with cerebrovascular disease*, 181A

———, Enterline D, Smith TP. *Treatment of CA pseudoaneurysms with ePTFE-covered stents*, 177A

Alves OL, Doppenherg ERM, Clausen T, Reinert M, Zauner A, Young HF, Bullock R. *Relationship between local cerebral blood flow and metabolism after severe human TBI*, 439

———, Rios MM, Zauner A, Young HF, Bullock R, Grubb RL. *Multiparameter monitoring to assess the effect of hyperventilation on cerebral metabolism after TBI*, 422

Badie B, Schartner J, Peebles TR, Lapsiwala S, Resnick DK, Berger MS. *Role of microglia in brain edema formation in glioma*, 421

Barry CJ, Rizzo M, Darling W, Jermeland J, Traynelis V, Traynelis VC. *The effect of wearing a restrictive neck brace on driver performance*, 428

Bartolomei JC, Crawford NR, Chamberlain RH, Lynch JJ, Dickman CA, Sonntag VKH, Das K, Park SC. *Cervical pedicle screws/plates or lateral mass screws/plates combined with anterior planting: a biomechanical in vitro study*, 446

Benabid AL, Koudsie A, Chabardes S, Vercueil L, Benazzouz A, Minotti L, LeBas JF, Kahane P. *Chronic stimulation of subthalamic nucleus and/or substantia nigra reticulata in intractable epilepsy: a 3-year experience*, 443

Benes V, Mandys V, Vrabec M, Netuka D. *Measurement of CA stenosis: NASCET compared with planimetry of the plaque*, 190A

Bergman WC, Harshbarger TL, Schulz RA, Shatsky SA. *Neurosurgical hemostasis prior to 1928*, 447

Bernstein M, Perneczky A. *Outpatient craniotomy for tumor resection: a prospective pilot study in 57 patients*, 421

Binder DK. *Ondine's curse: history, neurosurgery, and molecular biology*, 447

Boockvar JA, Kapitonov D, Ma L, Bogler O, O'Rourke DM, Raffel C. *Alteration of neural stem cell phenotype by EGFR signaling*, 422

Abstracts (*continued*)

Boulis NM, Noordmans AJ, Song DK, Leone P, During M, Oldfield EH. *Stereotactic gene-based hypothalamic neuromodulation*, 416

Boulos AS, Aketa S, Paciorek AM, Guterman LR. *Treatment of wide-necked bifurcation aneurysms with a neck bridging device or a single coil and ethylene vinyl alcohol copolymer (ONYX) without balloon protection in the canine*, 192A

Burtscher J, Dessl A, Eisner W, Twardy K, Cohen AR. *Virtual endoscopy for planning endoscopic intraventricular surgery*, 418

Carmel PW. *Charles A. Elsberg: pioneer in endotracheal anesthesia*, 447

Carter BS, Buckley D, Ogilvy CS. *Distal aneurysms: does size relate to rupture?* 167A

———, Ogilvy CS, Awad IA. *Distal aneurysms: does size relate to rupture?* 431

———, Sylvia M, Ogilvy CS. *Smoking is a risk factor for increased aneurysm size, multiplicity, and decreased age at presentation in patients with intracranial aneurysms*, 192A

Cekirge S, Mawad M, Saatci I, Arat A, Ozcan OE, Ozgen T. *Endosaccular Onyx casting of intracranial aneurysms with parent artery reconstruction: technical evolution and midterm follow-up results*, 188A

———, Saatci I, Arat A, Ozcan OE, Ozgen T. *Long-term intranidal onyx injections in the endovascular treatment of pial brain AVMs: description of a new technique and philosophy aimed at cure*, 173A

Chalif DJ, Galler RM. *Tandem interlocking microsurgical clipping technique for MCA bifurcation aneurysms*, 185A

Chu RM, Tummala RP, Nussbaum ES. *Extracranial–intracranial bypass for symptomatic occlusive cerebrovascular disease not amenable to CEA*, 183A

Chu YH, Bortlang M. *The protective role of CSF in TBI*, 440

Clinton RA, Leifer DW, Lust D, Cohen AR, Rekate HL. *Aberrant neuronal migration in hydrocephalus*, 427

Clusmann H, Kral T, Sassen R, Blumcke I, Bogucki J, Schramm J, Germano IM. *Analysis of standard and tailored procedures for temporal lobe epilepsy in 89 children and adolescents*, 419

Cohen AR, Cole-Kelly K, Flannery AM. *How to deliver bad news: a protocol for training medical students*, 423

Cohen JE, Ferrario A, Ceratto R, Miranda CJ, Lylyk P. *Experience with extracranial VA stent-assisted angioplasty*, 184A

Cohen ZR, Abi-Said D, Shi W, DeMonte F, McCutcheon IE, Hassenbusch SJ, Gokaslan ZL, Weinberg JS, Sawaya R, Lang FF, Silbergeld DL. *Surgical resection of anaplastic astrocytoma: prognostic factors and outcome*, 435

Connolly ES Jr, Nair MN, Mocco J, Laufer I, Stern DM, Schmidt AM, Pinsky DJ, Yan SF. *Receptor for advanced glycation end products (RAGE) overexpression exacerbates ischemic cerebral injury*, 189A

Crockard A, Singh A, Lauryssen C. *Improved measured functional recovery after surgery for cervical spondylotic myelopathy: does it matter which operation?* 428

Abstracts (*continued*)

Cunningham EJ, Bond R, Mehta Z, Mayberg MR, Warlow CP, Rothwell PM. *Long-term risk of stroke following CEA: absolute risks and risk factors*, 166A

Curry WT Jr, Hoh BL, Amin-Hanjani S, Eskandar EN, Rodts GE Jr. *Spinal epidural abcess: clinical presentation, management, and outcome*, 429

Derdeyn CP, Cross DT, Moran CJ, Pilgram TK, Grubb RL, Rich KM, Chicoine MR, Dacey RG. *Procedural thrombus and postprocedural ischemic events after treatment of intracranial aneurysms with GDC*, 165A

———, ———, ———, ———, ———, ———, ———, Dacey RG Jr, Rosenwasser RH. *Procedural thrombosis and postprocedural ischemic events after treatment of intracranial aneurysms with GDCs*, 432

———, Moran CJ, Cross DT, Rich KM, Grubb RL, Chicoine MR, Dacey RG. *Long-term outcome after angioplasty for symptomatic CA stenosis*, 177A

De Salles A, Frighetto L, Selch M, Ford J, Cabatan-Awang C, Wallace R, Solberg T, Kondziolka DS. *Shaped-beam surgery: the first world experience with a new technique in radiosurgery*, 418

Deshmukh V, Replogle RE, Pride GL, Purdy PD. *Risk of diagnostic cerebral angiography in patients with aneurysms, AVMs, or SAH*, 170A

Deshmukh VR, Albuquerque FC, Zabramski J, Spetzler RF. *Surgical management of atypical cavernous malformations*, 176A

Dimitrov DF, Kralik JD, Nicolelis MAL. *Developing hybrid brain–machine interfaces: chronic, multisite, microwire electrode recordings in primates*, 442

Durward QJ. *Carotid artery kinking following endarterectomy: potentially treatable cause for residual stenosis*, 189A

El-Naggar AO, Nashold BS Jr. *Nucleus caudalis DREZ lesion for intractable headache*, 448

Fehlings MG, Benoit G, Branch CL. *Transarticular screw reconstruction for craniocervical junction pathology: indications, techniques, and long-term follow up in 51 consecutive prospective cases*, 424

———, Yu W, Shannon P, Sonntag VKH. *Molecular mechanisms of neural degeneration in human cervical spondylotic myelopathy: implications for early surgical intervention and the development of neuroprotective strategies*, 433

Fleetwood IG, Chang SD, Do HM, Marks MP, Steinberg GK, Batjer HH. *Management of BA aneurysms in the modern era*, 431

———, Marcellus ML, Levy RP, Marks MP, Steinberg GK. *Natural history of AVMs of the basal ganglia and thalamus*, 175A

———, Marks MP, Levy RP, Marcellus ML, Adler JR, Chang SD, Do HM, Steinberg GK. *Multimodal treatment of basal ganglia and thalamus AVMs*, 183A

———, ———, Marcellus ML, Do HM, Chang SD, Adler JR, Steinberg GK, Levy RP. *Natural history of basal ganglia and thalamus AVMs*, 438

———, Stoodley MA, Marks MP, Steinberg GK. *Surgical management of moyamoya disease in adults*, 181A

Foltz GD, Bonham MJ, Gelfenbeyn M, Hatfield RH, Marsh HT, Basso A. *Internet-based consultations in international neurosurgery education: initial experience with 200 cases*, 415

Francel PC, Phelps J, Wienecke RJ, Tompkins P. *Indomethacin treatment of a cerebral fluid-percussion injury*, 182A

Freese A, Latsko M, McPhee S, Janson C, Bilaniuk L, During M, Francis J, Leone P, Martuza RL. *Adenoassociated virus vector gene transfer into the human brain: a phase I trial for patients with Canavan disease*, 415

Abstracts (*continued*)

Frerichs KU, Pergolizzi RS Jr, Friedlander RM, Norbash AM. *Feasibility and safety of intracranial stent placement: preliminary early experience using 23 stents in 16 patients with anterior and posterior circulation disease*, 169A

Friedman JA, Pichelmann MA, Wijdicks EFM, Piepgras DG, McIver JI, Toussaint LG, McClelland RL, Nichols DA, Meyer FB, Atkinson JLD. *Pulmonary complications following SAH*, 180A

Gabikian P, Clatterbuck RE, Tierney TS, Tamargo RJ. *Rabbits by intracranial delivery of nitric oxide from a controlled-release polymer*, 174A

Geisler FH, Cammisa FP Jr, Lowery G, Garfin SR, Klara PM, McGuire RA, Sassard WR. *Spine fusion rates of graftonæ demineralized bone matrix gel and autograft compared side-by-side in the same patient*, 446

Georganos SA, Raymond J, Solazkin I, Desfaits AC, Roy D, Weill A. *Surgical construction of a CA siphon in a porcine model to test neuroendovascular interventional devices*, 172A

Gerber MS, Preul MC. *An inventor, a publisher, and the first attempt at modern brain imaging*, 446

Gonzalez-Martinez JA, de la Torre RP, Zamorano L, Li Q, Samsha F, Diaz F. *Outcome of awake craniotomy and functional mapping surgery of eloquent brain lesions*, 450

———, Sharan AD, Rezai A, Benabid AL. *Brain stimulation: past, present, and future*, 423

———, ———, ———, Leme S, Bingaman W, Montgomery E, Luders H, Palfi S. *Subthalamic nucleus deep brain stimulation for intractable epilepsy*, 417

———, ———, ———, ———, Montgomery E, Luders H. *Epileptiform activity from the subthalamic nucleus in patients with intractable seizures*, 443

Goss BW, De Salles AAA, Smith Z, Frighetto L, Cabatan-Awang C, Solberg T, Wallace R, Ford J, Selch M. *Linear accelerator radiosurgery using 90 Gy for trigeminal neuralgia*, 449

Grossi PM, Sampson JH, Asaoka K, Fukushima T. *Efficacy and durability of microvascular decompression for glossopharyngeal neuralgia*, 449

Gunel M, Laurans MS, DiLuna M, Shin D, Lifton R. *The CCM1 protein (KRIT1) is a microtubule-associated protein and is important in endothelial capillary-like tube formation during in vitro angiogenesis*, 178A

Hall WA, Liu H, Maxwell RE, Truwit CL, Warnick RE. *Influence of 1.5-tesla intraoperative MR on surgical decision making*, 416

Han PP, Ponce F, MacKay C, Albuquerque FC, McDougall CG, Hopkins LN. *Percutaneous intracranial stent placement for nonatherosclerotic disease: aneurysms, dissections, and carotid–cavernous fistulas*, 432

Harrop JS, Poulsen D, During M, Freese A, Nick M, Rothstein J, Kliot M. *Recombinant adenoassociated virus transduces neurons and astrocytes within the rat spinal cord*, 433

Harter D, Das S, Das K, Slim M, Benzil DL, Pang D. *Large consecutive series of pediatric spine injuries*, 425

Henkes H, Weber W, Nahser HC, Fischer S, Felber S, Kuehne D. *Clinical and angiographic outcome of endovascular coil occlusion in 1000 intracranial aneurysms*, 166A

Hoehn BD, Yenari MA, Sapolsky RM, Steinberg GK. *Preischemic overexpression of glutathione peroxidase by gene therapy protects striatal neurons after experimental stroke*, 182A

Abstracts (*continued*)

Hoh BL, Carter BS, Ogilvy CS. *Hyperdynamic therapy for vasospasm and the risk of hemorrhage from unsecured secondary aneurysms*, 175A

———, Putman CM, Ogilvy CS. *Surgical and endovascular retreatment strategies for previously clipped residual and recurrent intracranial aneurysms*, 182A

Holly LT, Batzdorf U, Elliott JP. *Slitlike syrinx cavities: a persistent central canal*, 425

Honeycutt JH, Einhaus SL, Hill RF, Shappley WV, Sanford RA, Choux M. *Is my shunt revision rate lower than yours?* 419

———, Osterdock RJ, Dudney BW, Boop FA, Sanford RA. *Radiology pitfalls of ependymoma in the pediatric patient*, 424

———, Sanford RA, Kun LE, Merchant TE. *Neuropsychometric effects of radiation and preirradiation psychometric testing in pediatric patients with localized primary brain tumors*, 442

Huang JH, Zager EL, Benzil DL. *Tumors of the brachial plexus region: a 10-year series*, 433

Isaacs RE, Fessler RG, Khoo LT, Jane JA Sr. *Posterior microendoscopic cervical foraminotomy with the patient in the sitting position*, 434

———, Khoo LT, Perez-Cruet M, Laich D, Fessler RG, Foley KT. *Minimally invasive microendoscopic posterior lumbar interbody fusion with instrumentation*, 426

———, Perez-Cruet M, Laich D, Fessler RG, Khoo LT, Brotchi J. *Minimally invasive microendoscopic decompressive laminotomy for lumbar stenosis*, 433

———, Tillery S, Schwartz AB, Heilbrun MP. *Direct cortical interface for motor restoration*, 416

Jahan R, Tumyan L, Duckwiler GR, Gobin P, Kidwell C, Saver J, Starkman S, Vinuela F. *Endovascular intervention in patients with atherothrombotic occlusion of the cervical ICA and thromboembolic occlusion of the MCA*, 169A

———, Vinuela F. *Evaluation of EndiCOR medical's thrombectomy catheter for treatment of acute ischemic stroke: preliminary studies in the swine*, 193A

Janardhan V, Friedlander R, Stieg PE. *Risk factors for CA restenosis following CEA: role of advancing age and hypercholesterolemia*, 438

Kalkanis SN, Brown RH Jr, Knoller N. *Stereotactic intraspinal delivery of stem cells in a transgenic murine model of ALS*, 425

Kawaguchi S, Sakaki T, Ida Y, Nishikawa N. *Role of STA–MCA bypass for ocular ischemic syndrome due to reversed ophA flow*, 190A

Khalil HH, Taleghani CK, Lohman J, Forney D, Powers SK, Cockroft KM. *Does the addition of EEG to SSEP monitoring improve the prediction of adverse neurological events after temporary clipping?* 177A

Khan FR, Lee J, Brant C, Elbabaa SK, Kidd G, Luciano MG, Park TS. *Spinal root anatomy in cerebral palsy: computational quantitation of axonal populations in electrically abnormal spastic nerve roots*, 420

Khoo LT, Isaacs RE, Fessler RG. *Microendoscopic discectomy for recurrent disc herniations*, 445

———, Samudrala S, Beisse R, Potulski M, Dickman CA. *Minimally invasive thoracoscopic-assisted anterior repair of thoracic and thoracolumbar fractures: a single institution experience with 300 procedures*, 428

Kim DH, Han KS, Tiel R, Kline DG, McGillicuddy JE. *Surgical outcome of 576 ulnar nerve lesions*, 414

Abstracts (*continued*)

Kim SH, Qureshi AI, Suri FM, Ali Z, Yahia AM, Saad M, Boulos AC, Guterman LR, Hopkins LN. *Mechanical thrombolysis using balloon angioplasty and snare with low-dose intraarterial reteplase (third generation thrombolytic) for ischemic stroke. A prospective study*, 168A

Ko Y, Yi HJ, Kim YS, Oh SH, Oh SJ, Kim KM. *Long-term results of microvascular decompression of the cochlear nerve for intractable tinnitus*, 443

Kothbauer KF, Jallo GI, Allen JC, Epstein FJ, Buis D. *Ventriculoperitoneal shunting in patients with disseminated brain tumors*, 441

Kumar K, Brown JA. *Treatment of chronic pain by spinal cord stimulation compared with alternative therapies: a cost-effective analysis*, 415

Kumon Y, Ohue S, Ohta S, Sakoh M, Ueda T, Ohnishi T, Giannotta SL. *Clinical significance of postoperative neuropsychological evaluation for patients with cerebral aneurysms*, 430

Kuznetsov YE, Carmanos Z, Antel SB, LeBlanc R, Arnold DL, Preul MC, Black PMcL. *Duration of survival in patients with a supratentorial glioma related to the MR imaging– and proton SIR spectroscopy ($^1$H-MRSI)–defined spatial location of their tumor*, 429

Laich DT, Geisler F, Khoo LT, Kim A, Samudrala S, Haid RW Jr. *Anterior plate placement for cervical trauma: the effect of plate design on graft subsidence and the preservation of segmental lordosis*, 427

Langer DJ, Prestigiacomo CJ, Flamm ES, Berenstein A. *Management of residual ACoA aneurysms in patients with SAH*, 170A

Lavine SD, Larsen DW, Giannotta SL, Teitelbaum GP. *Parent vessel herniation during Guglielmi detachable coil embolization of a wide-necked aneurysm: treatment with intracranial stent placement*, 193A

Ledlie JT, Fessler RD. *Balloon kyphoplasty: is pain reduction and improved mobility sustained?* 426

Lee JH, Choi E, Golubic M, Prayson R. *Meningothelial meningiomas: the predominant subtype in skull base and spinal meningiomas*, 450

Lee JYK, Niranjan A, McInerney J, Kondziolka D, Flickinger J, Lunsford LD, Al-Mefty O. *Stereotactic radiosurgery provides long-term tumor control of cavernous sinus meningiomas*, 435

Lee SK, Willinsky RA, Montanera W, Porter PJ, Kim BS, TerBrugge KG. *Midterm clinical and angiographic follow up of aneurysms completely treated using GDC*, 165A

Lefkowitz MA, Hubbard J, Thomas N, Miller M, Foley KT, McCormick PC. *Laparoscopic ALIF and percutaneous pedicle screw insertion for the treatment of spondylolisthesis*, 426

Levesque MF, Neuman T, Bakay RAE. *Autologous transplantation of adult human neural stem cells and differentiated dopaminergic neurons for Parkinson disease: 1-year postoperative clinical and functional metabolic result*, 413

Levy EI, Bendok BR, Boulos AS, Ringer AJ, Fessler RD, Kim SH, Qureshi AI, Guterman LR, Hopkins LN. *Toward lower morbidity and rapid patient ambulation in endovascular neurosurgery: transradial approach*, 187A

Lew SM, Goumnerova LC, Albright AL. *Tectal gliomas: prognosis and evolution of management*, 435

Li Z, Keller LA, Luciano MG, Davis BL. *Postural stability measurement in normal-pressure hydrocephalus by dual-axial cranial accelerometry*, 442

Abstracts (*continued*)

Lichtor T, Chauhan NB, Siegel GJ. *Prevention of Alzheimer plaque formation in a transgenic mouse model*, 444

Lin J, Morris M, Hurt R, Olivero W, Kestle JRW. *Computational and experimental study of proximal ventricular catheters*, 418

Ling B, Kuntz C IV, Miller S, Ratner N. *Epidermal growth factor receptor–positive transgenic mice: pathology suggestive of early neurofibroma formation*, 444

Lopes DK, Ringer A, Boulos A, Qureshi A, Guterman LR, Lieber B, Hopkins LN. *Hemodynamic changes in stented fusiform BA aneurysms: clinical experience*, 184A

Lozier A, Kim GH, Yorgason J, Laufer I, Coon AL, Mocco J, Winfree CJ, Kreiter KA, Mayer SA, Connolly ES Jr. *Serum MCP-1 is elevated in association with poor outcome following aneurysmal SAH*, 179A, 437

Lylyk P, Cohen JE, Ferrario A, Miranda CJ, Ceratto R. *Unprotected and protected stent-assisted CA angioplasty in Buenos Aires*, 166A

Lynch JL, Crawford NR, Chamberlain RH, Bartolomei JC, Sonntag VKH, Benzel EC. *Biomechanics of lateral mass/pedicle screw fixation at C1–2*, 424

Macdonald RL, Zhang ZD, Curry D, Aihara Y, Jahromi B. *Sodium nitroprusside does not prevent experimental vasospasm*, 187A

Macomson SD, Harris VA, Miller AW, Katakam PV, Wakade C, Brophy CM, Shaver EG. *Alteration of heat shock protein expression and phosphorylation in cerebral vessels after SAH*, 175A

Magnadottir HB, Stevens J, McDonough C, Birkmeyer J, Harbaugh RE. *Is CEA justified in symptomatic patients with 30 to 50% stenosis?* 173A

Maher CO, Meyer FB, Friedman JA, Wetjen NM. *Prospective analysis of intraoperative carotid sinus lidocaine injection during endarterectomy*, 179A

Mahmood A, Lu D, Li Y, Chopp M. *Intravenous administration of marrow stromal cells increases the expression of growth factors in rat brain after TBI*, 439

Masopust V, Netuka D, Benes V. *Constitutionally small posterior fossa as a predisposition for neurovascular conflict*, 190A

Massicotte EM, Kim J, Sahlia B, Etchells E, Bernstein M, Piepgras DG. *Error in neurosurgery: prospective pilot study with 255 cases*, 414

Mayberg MR, Cavaglia M, Bokesch PM, Janigro D. *Cardiopulmonary bypass compromises the blood–brain barrier*, 191A

———, Desai S, Chyatte D, Janigro D. *Mechanisms of vascular remodeling in aneurysm tissue*, 169A

———, Rasmussen P, Masaryk T, Perl J. *Balloon stent-assisted microsurgical clipping of complex ICA aneurysms*, 186A

McDonald PJ, Bruce C, Santoreneos S, Lamberti-Pasculi M, Dirks PB, Drake JM, Humphreys RP, Rutka JT. *Does decompressive hemorrhage following shunting of neonatal hydrocephalus correlate with valve opening pressure?* 441

McGirt MJ, Wellons JC, Nimjee S, Bulsara KR, Fuchs H, George T, Muraszko KM. *Total compared with partial revision of failed CSF shunts decreases subsequent failure rate*, 419

Melgar MA, Madhusudan HV. *Carotid endarterectomy without a shunt: role of induced hypertension and cerebral metabolic protection*, 189A

Mendelow AD. *International Surgical Trial in Intracerebral Hemorrhage: 668 patients randomized*, 186A

Abstracts (*continued*)

Mendelowitsch A, Taussky P, Rem JA, Gratzl O. *Extracranial–intracranial bypass for symptomatic occlusive cerebrovascular disease refractory to medical therapy*, 171A

Misra SN, Simpson G, Gargan L, Bruce D, Shapiro K, Sklar F, Rutka JT. *Gangliogliomas of the posterior fossa*, 420

Mobin F, Martin N, Frazee J, Varjavand B, Villablanca P, Dacey RG Jr. *Selecting treatment strategies for complex intracranial aneurysms based on CT angiography criteria*, 431

Molyneux AB, Niemann DB. *Treatment of large and giant aneurysms with ethylene-vinyl alcohol copolymer dissolved in DMSO (Onyx Liquid Embolic System)*, 175A

Molyneux AJ, Niemann DB. *Embolization of spinal cord AVMs ethylene-vinyl alcohol copolymer dissolved in DMSO: the Onyx-liquid embolic system*, 183A

Morcos JJ, Bhatia S, Jea A, Sultan A, Martin NA. *Successful use of revascularization techniques in the treatment of large, giant, and fusiform aneurysms in a series of 18 patients: results and lessons learned*, 429

Nakaji P, Teo C, Mobbs RJ, Sink G, Jannetta PJ. *Endoscope-assisted microvascular decompression for trigeminal neuralgia*, 417

Neimat JS, Amin-Hanjani S. *Limited head trauma: a new crieria for management of patients with minor head injury*, 439

Nesbit GM, Barnwell SL, Clark WM, Guterman LR, Teal PA, Shuab A, Zeumer H, Schumacher M, Haehnel S. *Multicenter feasibility study of an ultrasound drug infusion microcatheter for treatment of patients with acute ischemic stroke*, 192A

Niemann DB, Molyneux AB. *Anatomically conformable 3D detachable platinum micro coil system in the treatment of intracranial aneurysms*, 178A

———, ———. *Embolization of brain AVMs with ethylene-vinyl alcohol copolymer dissolved in DMSO (Onyx-liquid embolic system): evidence in a prospective series of 31 patients*, 171A

Niimi Y, Berenstein A, Setton A, Boniece IR, Hwang GJ. *Aneurysms associated with spinal cord AVMs*, 166A

Nockels RP, Pan H, Kartje W, Wurster R. *Importance of neurotrophin delivery following stem cell transplantation into experimental spinal cord injury*, 445

Noren G, Linquist C, Rasmussen SA, Greenberg BD, Friehs G, Chougule PB, Zheng Z, Epstein MH, Cosgrove GR. *Gamma knife capsulotomy for obsessive–compulsive disorder*, 414

Oertel MF, Kelly DF, Glenn TC, Martin NA. *Metabolic blood flow effects of high-dose propofol in head-injured patients*, 440

Oishi M, Goodrich JT, Bergman WC. *An illustrated history of the discovery of cranial nerves: counting to twelve, from Aristotle and Galen to von Sommerring*, 422

Onda H, Kasuya H, Yoneyama T, Takakura K, Hori T. *Genome-wide linkage and haplotype association studies map intracranial aneurysm to chromosome 7q11*, 437

Onizuka M, Suyama K, Shibayama A, Miyazaki H. *Computerized tomography angiography alone for unruptured cerebral aneurysms*, 184A

Ovul I, Oner K, Cagli S, Karaagac S. *Antifibrinolytic treatment in SAH*, 170A

Park JK, Lu QR, Stiles CD, Black PMcL. *Oligodendrocyte lineage genes as molecular markers for glial tumors*, 451

Phuong LK, Link M, Wijdicks E. *Management of intracranial mycotic aneurysms: a series of 16 cases*, 182A

Abstracts (*continued*)

Pile-Spellman J, Schumacher HC, Lazar RM, Stapf C, Marshall RS, Hartmann RS, Mast H, Mohr JP. *Safety of endovascular embolization therapy in patients with AVMs of the brain*, 165A

Pilitsis JG, Diaz FG, O'Regan MH, Phillis JW. *Inhibition of mitochondrial $NA^+/Ca^{++}$ exchange attenuates free fatty acid efflux during ischemia–reperfusion injury in rat cerebral cortex*, 174A

Pollock BE, Stafford SL, Utter A, Gorman DA, Giannini C, Schreiner SA. *Radiosurgery is equivalent to complete tumor resection (Simpson Grade 1) in patients with small- to moderate-sized meningiomas*, 451

Prestigiacomo CJ, Niimi Y, Bueno de Camargo A, Szelenyi A, Deletis V, Berenstein A. *Intraprocedural electrophysiological facial nerve monitoring during sclerotherapy for venous malformations of the face*, 180A

Purdy PD, Replogle RE, Pride GL, Adams C, Miller S, Samson D. *Percutaneous intraspinal navigation (PIN): a new surgical approach*, 171A

Quinones-Hinojosa A, Sanai N, Malek JY, Lawton MT. *Combined microsurgical and endovascular management of intracranial aneurysms*, 168A

Qureshi AI, Suri MFK, Hopkins LN. *Trends in morbidity and mortality associated with hospitalization for ruptured and unruptured intracranial aneurysms in the United States*, 438

Raftopoulos C, Goffette P, Ramzi N, Wittebole X, Scholtes JL, Mathurin P, Spetzler RF. *Surgical clipping may give better results than coil embolization in a series of 84 consecutive unruptured intracranial aneurysms*, 413

Rasmussen PA, Mayberg MR, Kapural M, Cavaglia M, Albensi B, Steinmetz M, Janigro D. *Differential sensitivity of the BBB after intracerebral hemorrhage and ischemic stroke*, 181A

———, Perl J II, Buehner S, Mertz L, Mayberg MR, Masaryk TJ. *Extracranial CA angioplasty and stenting: the Cleveland clinic endovascular neurosurgery experience*, 437

———, ———, Katzan I, Sila C, Mayberg MR, Masaryk TJ. *Stent-assisted angioplasty of intracranial VBA atherosclerosis: clinical and imaging midterm results*, 167A

Raymond J, Sauvageau E, Salazkin I, Desfaits AC, Ribourtout E, Weill A, Roy D. *Role of the endothelial lining in the persistence of residual lesions and recurrences after endovascular treatment of experimental aneurysms*, 171A

Rifkinson-Mann S, Blackett WB. *Neurosurgical contributions to malpractice law*, 422

Rios MM, Alves OL, Clausen T, Young HF, Bullock R, Valadka AB. *Neurochemical impact of mannitol administration in severely head injured patients*, 423

Rocka S, Feltes CH, Fountas KN, Dimopoulos V, Robinson JS, Davydov R, Sitkauskas A, Ragauskas A, Daubaris G. *Noninvasive assessment of shunt function by using an ultrasonic time-of-flight method and pulse waveform analysis in hydrocephalic patient*, 440

Rodrigues Ribas ACF, Horwitz NH. *A Pearl Harbor hero: Ralph Cloward*, 421

Romanelli P, Heit G, Hill B, Bronte-Stewart H. *Subthalamic nucleus intraoperative mapping suggests somatotopic organization*, 442

Rosengart A, Macdonald RL, Weir B. *Metaanalysis of the effect of tirilazad on outcome and vasospasm after aneurysmal SAH*, 188A

Abstracts (*continued*)

———, ———, ——— *Prognostic factors for outcome and clinical grading of aneurysmal SAH based on metaanalysis of the tirilazad database*, 172A

Ross IB. *Claude Bernard and Horner's syndrome*, 448

Russell SM, Parker E, Woo HH, Nelson PK. *A novel application of a transarterial wedged-catheter (flow-arrest) embolization technique with N-butyl cyanoacrylate for the treatment of intracranial dural AVFs*, 172A

———, ———, ———, ———, Jafar JJ. *The role of frameless stereotaxis in the surgical treatment of cerebral AVMs: technique and outcome in a controlled study of 56 patients*, 187A

Sanchez Mejia RO, Li M, Friedlander RM. *Creatine supplementation results in significant neuroprotection from ischemia-mediated damage*, 179A

Sanford A, Kun L, Sposto R, Holmes E, Wisoff JH, Heier L, McGuire-Cullen P, Pollack IF. *Low-grade gliomas of childhood: impact of surgical resection. A report from the Children's Oncology Group*, 427

Sanford RA, Dudney BW, Hoff JT. *Twenty-year mangagement of a von Hippel–Lindau family (surgical strategy)*, 436

———, Kun LE, Merchant TE, Carmel PW. *Craniopharyngioma*, 434

Sawamura Y, Shirato H, Sakamoto T, Aoyama H, Miyasaka K. *Long-term follow-up results with audiological assessment after fractionated stereotactic radiotherapy for vestibular schwannomas*, 452

Shanno GB, Benitez RP, Rosenwasser RH. *Effect of routine temporary clipping on intraoperative aneurysm hemorrhage rate*, 191A

Sharan AD, Nyenhuis JA, Rezai AR, Gonzalez-Martinez JA, Finelli D, Takach J, Rugieri P, Shellock FG, Hrdlicka GA, Stypulkowski P. *Magnetic resonance imaging and spinal cord stimulation: an experimental safety study*, 448

Shaukat A, Kirmani JF, Jupudy V, Manaliora N, Guterman LR, Hopkins LN, Yahia AM. *Prospective evaluation of transesophageal echocardiography in patients with ischemic events*, 184A

Shrivastava RK, Krieger MD, Jane JA Sr. *True nature of metopic synostosis in current pediatric neurosurgical pratice*, 420

Smith ER, Cheng T, Scadden D, Chiocca EA. *Increased frequency of cells expressing a neuronal phenotype in the injured spinal cord after intravascular transplantation with bone marrow cells*, 439

Smith ZA, Frighetto L, De Salles AAF, Solberg TD, Wallace RE, Cabatan-Awang C, Selch M, Ford JM. *Linear accelerator radiosurgery for the treatment of trigeminal neuralgia*, 449

Stokes JK, Villavicencio A, Liu PC, Bray RS, Regan JJ, Johnson JP. *Image guidance in sacral tumor resection*, 445

Stone JL. *Percival Post and the miners of Cornwall*, 447

Szelenyi A, Langer D, Kothbauer K, Bueno de Camargo A, Flamm E, Deletis V. *Intraoperative motor evoked potential monitoring in cerebral aneurysm surgery*, 174A

Tang G, Handley ER, Cawley CM, Dion J, Barrow DL. *Intraoperative angiography during AVM surgery*, 191A

———, ———, Cloft H, Cawley CM, Dion J, Barrow DL, Thompson BG Jr. *Comparison of endovascular and surgical management of BA apex aneurysms*, 432

———, McInerney J, Cawley CM, Harbaugh R, Barrow DL. *Decision analysis for the use and cost-effectiveness of intraoperative angiography for aneurysm surgery*, 186A

Abstracts (*continued*)
Tateshima S, Murayama Y, Pablo Villablanca J, Morino T, Nomura K, Yamauchi T, Tanishita K, Vinuela F. *Fluid-induced wall shear stress in cerebral aneurysms: an in vitro study with geometrically realistic aneurysm models*, 176A
Tokunaga K, Dehdashti AR, San Millan Ruiz D, Sugiu K, Delavelle J, Rufenacht DA. *Aneurysm contact with the peri-aneurysmal environment may be a determinant factor leading to rupture*, 178A
Toussaint LG III, Friedman JA, Wijdicks EFM, Piepgras DG, Pichelmann MA, McIver JI, McClelland RL, Nichols DA, Meyer FB, Atkinson JLD. *Prognosis in survivors of cardiac arrest following aneurysmal SAH*, 180A
———, ———, ———, ———, ———, ———, ———, ———, ———, ———, Weir BKA. *Prior aspirin use does not worsen outcome in aneurysmal SAH*, 430
Tummala RP, Chu RM, Madison MT, Nussbaum ES. *Migration of Guglielmi detachable coils after endovascular treatment of intracranial aneurysms*, 189A
Vajkoczy P, Horn P, Schmiedek P. *Early STA–MICA bypass function: influence of flow orientation*, 188A
Van Dijk JM, TerBrugge KG, Willinsky RA, Wallace MC. *Multimodality management of spinal dural AVFs with long-term follow up*, 176A
———, ———, ———, ———. *Reappraisal of the natural history of aggressive cranial dural AVFs*, 168A
Veznedaroglu E, Benitez R, Rosenwasser RH. *Operative experience in previously coiled intracranial aneurysms: an institutional series*, 168A
———, ———, ———. *Safety of cerebral angioplasty in patients with radiographically documented ischemia*, 173A
Vokshoor A, Hajjar MV, Cahill DW, Ondra SL. *Surgical treatment of symptomatic degenerative scoliosis*, 434
Watts RL, Freeman TB, Hauser RAE, Bakay RA, Stoessl J, Eidelberg D, Elias SA, Fink S, Breeze RE. *A surgical placebo-controlled trial of intrastriatal transplantation of fetal porcine ventral mesencephalic tissue in patients with Parkinson disease*, 413
Weiner HL, Ahn E, Bakst R, Lichtenbaum R, Zagzag D, Joyner AL, Daniel H. *Retrovirus–sonic hedgehog infection of murine embryonic cerebellar granule cells leads to tumor formation*, 450
Wellons JC, Tubbs RS, Banks JT, Oakes WJ, Blount JP, Grabb PA, Teo C. *Endoscopic third ventriculostomy successfully treats hydrocephalus in children with tectal plate gliomas*, 420
Westphal M, Fritsche E, Papavero L, Wertheimer D, Grzyska U, Lauryssen C. *Clinical management of a series of 210 spinal intramedullary tumors*, 426
Williams JA, Samii M. *Fractionated stereotactic radiotherapy for acoustic neuroma*, 417
Yamada S, Knierim DS, Won DJ, Figuereo SJ, Almagud F, McLone DG. *Are lipomyelomeningoceles always associated with tethered cord syndrome?* 414
Yasunari N, Berenstein A, Prestigiacomo CJ, Setton A. *Three-dimensional angiography of spinal AVMs*, 187A
Young RF, Li F, Jacques DB, Mark R, Copcutt B, Weiss MH. *Gamma knife radiosurgery for pituitary adenomas: long-term follow up of efficacy, safety, and pituitary function*, 436
Zhang YJ, Cawley CM, Barrow DL, Day AL. *Operative management of previously incompletely surgically treated intracranial aneurysms*, 430

Abstracts (*continued*)
Zhao H, Yenari MA, Sapolsky RM, Steinberg GK. *Mild post-ischemic hypothermia prolongs the time window for gene therapy*, 167A
Zhao J, Han X, Wang S, Sui D, Zhang Y, Wang D, Wang R. *Direct surgical resection and clipping of aneurysm sac with parent artery reconstruction in treatment of giant intracranial aneurysms*, 185A
———, Wang S, Li J, Sui D, Zhao Y, Zhang Y, Han X. *Combination of intraoperative embolization with surgical resection for treatment of giant cerebral AVMs*, 191A
———, ———, Sui D, Han X, Zhao Y, Xu Y, Wang R, Wang D. *Treatment of intracranial anterior circulation aneurysms via a keyhole approach*, 185A
Zhu WH, Carter DA, Hodge CJ Jr. *Conditionally immortalized neuronal progenitor cells restore barrel cortex function after focal injury*, 444
Zielinski SC, Chang SD, Steinberg GK. *Carotid endarterectomy: short- and long-term restenosis in patch-treated compared with nonpatch-treated patients*, 436
Zuccarello M, Wagner KR, Dean CP, de Courten-Myers GM, Woo D, Broderick JP. *Tissue plasminogen activator for intracerebral hematoma removal: beneficial or harmful?* 185A

Acoustic neuroma
Hearing restoration after resection of an intracanalicular vestibular schwannoma: a role for emergency surgery? Case report and review of the literature, 796

Actinomycosis
Bilateral cavernous sinus actinomycosis resulting in painful ophthalmoplegia. Case report, 600

Acute subdural hematoma
Primary low-grade B-cell lymphoma of mucosa-associated lymphoid tissue of the dura mimicking the presentation of an acute subdural hematoma. Case report and review of the literature, 611

Adenosine
Hippocampal injury and neurobehavioral deficits following hyperglycemic cerebral ischemia: effect of theophylline and ZM 241385, 117

Adenovirus
Heme oxygenase-1 gene therapy for prevention of vasospasm in rats, 1094

Adhesive
Polyester meshes and adhesive materials in the brain: comparative research in rats to optimize surgical strategy, 760

Adjustable valve
Electromagnetic field hazards involving adjustable shunt valves in hydrocephalus, 331

Adrenocorticotropic hormone
Corticotroph carcinoma of the pituitary: a clinicopathological study. Report of four cases, 352

Amygdalohippocampectomy
Individual variations in the sulcal anatomy of the basal temporal lobe and its relevance for epilepsy surgery: an anatomical study performed using magnetic resonance imaging, 464

Amyloidosis
Dural marginal zone lymphoma with massive amyloid deposition: rare low-grade primary central nervous system B-cell lymphoma. Case report, 368

Anaplastic astrocytoma
Aberrant nuclear factor-κB activity and its participation in the growth of human malignant astrocytoma, 909

Anatomical study
Detailed anatomy of the intracranial segment of the hypoglossal nerve: neurovascular relationships and landmarks on magnetic resonance imaging sequences, 1113
Superficial surgical landmarks for the frontal sinus, 320
Anatomical variation
Ruptured aneurysm on a double origin of the posterior inferior cerebellar artery: a pathological entity in an anatomical variation. Report of two cases and review of the literature, 127
Anesthesia
Total intravenous anesthesia for intraoperative monitoring of the motor pathways: an integral view combining clinical and experimental data, 571
Aneurysm
Anterior paraclinoid aneurysms, 1000
Postprocedure ischemic events after treatment of intracranial aneurysms with Guglielmi detachable coils, 837
Ruptured aneurysm on a double origin of the posterior inferior cerebellar artery: a pathological entity in an anatomical variation. Report of two cases and review of the literature, 127
Sizes of ruptured and unruptured aneurysms in relation to their sites and the ages of patients, 64
Vertebral artery–posterior inferior cerebellar artery bypass with a superficial temporal artery graft to treat aneurysms involving the posterior inferior cerebellar artery, 867
Aneurysm clip
Routine intraoperative angiography during aneurysm surgery, 988
Angiography
Bypass combined with embolization via a venous graft in a patient with a giant aneurysm in the posterior communicating artery and bilateral idiopathic occlusion of the internal carotid artery in the neck. Case report, 135
Prevalence of asymptomatic incidental aneurysms: review of 4568 arteriograms. Special section, 43
Section overview: unruptured aneurysms. Special section, 1
Angioma
Cherry angiomas associated with familial cerebral cavernous malformations. Case illustration, 964
Angioplasty
Multicenter study of the feasibility and safety of using the Memotherm carotid arterial stent for extracranial carotid artery stenosis, 830
Anterior clinoid process
Endoscope-assisted clipping of a superior hypophyseal artery aneurysm without removal of the anterior clinoid process. Case report, 788
Antiparkinsonian agents
Bilateral stimulation of the subthalamic nucleus in patients with Parkinson disease: a study of efficacy and safety, 666
Apolipoprotein E
Effect of apolipoprotein E genotype on hematoma volume after trauma, 90
Apoptosis
Apoptosis of T lymphocytes invading glioblastomas multiforme: a possible tumor defense mechanism, 580
Experimental validation of deuterium oxide–mediated antitumoral activity as it relates to apoptosis in murine malignant astrocytoma cells, 900
Apparent diffusion coefficient
Correlation between changes in apparent diffusion coefficient and induction of heat shock protein, cell-specific injury marker expression, and protein synthesis reduction on diffusion-weighted magnetic resonance images after temporary focal cerebral ischemia in rats, 1084
Arterial occlusion
Routine intraoperative angiography during aneurysm surgery, 988
Arteriography
Prevalence of asymptomatic incidental aneurysms: review of 4568 arteriograms. Special section, 43
Arteriovenous malformation
Adult pial arteriovenous fistula and superior sagittal sinus stenosis: angiographic evidence for high-flow venopathy at an atypical location. Case report, 792
Compartments in arteriovenous malformation nidi demonstrated with rotational three-dimensional digital subtraction angiography by using selective microcatheterization. Report of three cases, 770
A proposed radiosurgery-based grading system for arteriovenous malformations, 79
Arteriovenous malformation grading
A proposed radiosurgery-based grading system for arteriovenous malformations, 79
Artificial dura mater
Clinical application of a new bioabsorbable artificial dura mater, 731
Astrocytoma
Quality-of-life assessment in patients who had been surgically treated for cerebellar pilocytic astrocytoma in childhood, 229
Atlas
Optimal location of thalamotomy lesions for tremor associated with Parkinson disease: a probabilistic analysis based on postoperative magnetic resonance imaging and an integrated digital atlas, 854
Atmospheric pressure
Subarachnoid hemorrhage and atmospheric pressure. Letters, 974, 975
Auditory brainstem implant
Multichannel auditory brainstem implant: update on performance in 61 patients, 1063
Polyester meshes and adhesive materials in the brain: comparative research in rats to optimize surgical strategy, 760
Auditory brainstem response
Correlation between auditory function and internal auditory canal pressure in patients with vestibular schwannomas, 872
Autologous collagenous tissue
Clinical application of a new bioabsorbable artificial dura mater, 731
Autoregulation
Autoregulation-oriented strategy. Letters, 1158

Balloon embolization
Rescue balloon procedure for an emergency situation during coil embolization for cerebral aneurysms. Technical note, 373
Basic fibroblast growth factor
Evaluation of the healing process after dural reconstuction achieved using a free fascial graft, 280

Basilar artery
Complications of endoscopic third ventriculostomy, 1032
Heme oxygenase-1 gene therapy for prevention of vasospasm in rats, 1094
Basilar artery tip aneurysm
Neuroendoscopic identification of a basilar artery tip aneurysm in the third ventricle. Case illustration, 1138
B-cell lymphoma
Dural marginal zone lymphoma with massive amyloid deposition: rare low-grade primary central nervous system B-cell lymphoma. Case report, 368
Bilirubin
Brain edema after experimental intracerebral hemorrhage: role of hemoglobin degradation products, 287
Biocompatible polyester mesh
Polyester meshes and adhesive materials in the brain: comparative research in rats to optimize surgical strategy, 760
Biopsy
Biochemical characterization of pediatric brain tumors by using in vivo and ex vivo magnetic resonance spectroscopy, 1023
Blood flow velocity
Accuracy of transcranial color Doppler ultrasonography in the diagnosis of middle cerebral artery spasm determined by receiver operating characteristic analysis, 323
Blood patch
Bilateral subdural effusion and cerebral displacement associated with spontaneous intracranial hypotension: diagnostic and management strategies. Report of two cases, 956
Blood pressure
Seasonal variation in the incidence of aneurysmal subarachnoid hemorrhage in hospital- and community-based studies, 497
Book review
Aldrete JA. *Arachnoiditis: The Silent Epidemic*, 1155
Baethmann A, Plesnila N, Ringel F, Eriskat J (eds). *Current Progress in the Understanding of Secondary Brain Damage from Trauma and Ischemia. Acta Neurochirurgica, Supplement 73*, 633
Bailes JE, Day AL (eds). *Neurological Sports Medicine: A Guide for Physicians and Athletic Trainers*, 153
Battro AM. *Half a Brain is Enough: The Story of Nico*, 636
Brown MM. *Stroke. British Medical Bulletin, Vol 56, No. 2*, 635
Choi DW, Dacey RG, Hsu CY, Powers WJ (eds). *Cerebrovascular Disease: Momentum at the End of the Second Millenium*, 1155
Cohadon F, Dolenc VV, Lobo Antunes J, Pickard JD, Reulen HJ, Sindou M, Strong AJ, de Tribolet N, Tulleken CAF, Vapalahti M (eds). *Advances and Technical Standards in Neurosurgery, Vol 26*, 801
Cottrell JE, Smith DS (eds). *Anesthesia and Neurosurgery, ed 4*, 969
Fischbein NJ, Dillon WP, Barkovich AJ. *Teaching Atlas of Brain Imaging*, 152
Frey M (ed). *Endoscopy and Microsurgery*, 378
Germanò AF, Tomasello F. *Blood-Brain Barrier Permeability Changes after Subarachnoid Haemorrhage: An Update: Clinical Implications, Experimental Findings, Challenges and Future Directions*, 635
Glaser JS (ed). *Neuro-ophthalmology, ed 3*, 634
Ikezaki K, Loftus CM (eds). *Moyamoya Disease*, 633
Book review (*continued*)
Kalb R. *The Pathways of Mind. A Neural Theory of Mental Processing: Mathematical Principles, Empirical Evidence, and Clinical Applications*, 802
Kaplan PA, Helms CA, Dussault R, Anderson MW, Major NM. *Musculoskeletal MRI*, 802
Karpati G, Hilton-Jones D, Griggs RC. *Disorders of Voluntary Muscle, ed 7*, 1156
Kaye AH, Black PMcL (eds). *Operative Neurosurgery*, 151
———, Laws ER Jr (eds). *Brain Tumors: An Encyclopedic Approach, ed 2*, 970
Keating RF, Goodrich JT, Packer RJ (eds). *Tumors of the Pediatric Central Nervous System*, 379
Landau WM. *Clinical Neuromythology and Other Arguments and Essays, Pertinent and Impertinent: Updated Edition*, 1155
Liau LM, Becker DP, Cloughesy TF, Bigner DB. *Brain Tumor Immunotherapy*, 968
Lin KY, Ogle RC, Jane JA. *Craniofacial Surgery: Science and Surgical Technique*, 150
Macdonald RL, Weir B. *Cerebral Vasospasm*, 378
Postacchini F. *Lumbar Disc Herniation*, 152
Resnick DK, Haid RW Jr (eds). *Surgical Management of Low Back Pain*, 803
Roberts HJ. *Aspartame Disease: An Ignored Epidemic*, 153
Rosenfeld JV, Watters DAK. *Neurosurgery of the Tropics: A Practical Approach to Common Problems*, 970
Singh AK, Sinha S, Singh D, Gupta V (eds). *Indian Clinical Neurosurgery. Volume 1: Cervical Spine, Brachial Plexus, Peripheral Nerves*, 967
Tew JM Jr, van Loveren HR, Keller JT. *Atlas of Operative Microneurosurgery. Vol 2: Brain Tumors*, 380
Trobe JD. *The Neurology of Vision*, 1154
Borden classification
Multiplicity of dural arteriovenous fistulas, 76
Brachial plexus injury
Brachial plexus neurotization with donor phrenic nerves and its effect on pulmonary function, 523
Brachytherapy
Preclinical evaluation of a novel device for delivering brachytherapy to the margins of resected brain tumor cavities, 335
Brain concussion
The tentorial notch: anatomical variation, morphometric analysis, and classification in 100 human autopsy cases, 1103
Brain edema
Brain edema after experimental intracerebral hemorrhage: role of hemoglobin degradation products, 287
Brain herniation
Internal intracranial encephalocele reduced by a subdural–peritoneal shunt. Case illustration, 966
The tentorial notch: anatomical variation, morphometric analysis, and classification in 100 human autopsy cases, 1103
Brain injury
Regional cerebrovascular and metabolic effects of hyperventilation after severe traumatic brain injury, 103
Brain mapping
Integration of sulcal and functional information for multimodal neuronavigation, 713
Brain metabolism
Real-time detection of vascular occlusion and reperfusion of the brain during surgery by using infrared imaging, 918

Brain neoplasm
Biochemical characterization of pediatric brain tumors by using in vivo and ex vivo magnetic resonance spectroscopy, 1023
Primary Burkitt lymphoma of the brain in an immunocompetent patient. Case report, 1127
Surgical management of cerebral metastases from melanoma outcome in 147 patients treated at a single institution over two decades, 552
Trigeminal schwannomas: removal of dumbell-shaped tumors through the expanded Meckel cave and outcomes of cranial nerve function, 453
Brain temperature
Real-time detection of vascular occlusion and reperfusion of the brain during surgery by using infrared imaging, 918
Brain tissue oxygenation
Measurement of brain tissue oxygenation performed using positron emission tomography scanning to validate a novel monitoring method, 263
Brain tissue partial pressure of oxygen
Cerebral tissue $PO_2$ and $SjvO_2$ changes during moderate hyperventilation in patients with severe traumatic brain injury, 97
Brain tumor
Management of tumor bed cysts after chemotherapeutic wafer implantation. Report of four cases, 941
Quality-of-life assessment in patients who had been surgically treated for cerebellar pilocytic astrocytoma in childhood, 229
Waterjet dissection in neurosurgical procedures: clinical results in 35 patients, 690
Brainstem
The tentorial notch: anatomical variation, morphometric analysis, and classification in 100 human autopsy cases, 1103
Brainstem auditory evoked potential
The impact of neurophysiological intraoperative monitoring on surgical decisions: a critical analysis of 423 cases, 255
Brainstem tumor
Convection-enhanced delivery into the rat brainstem, 885
Burkitt lymphoma
Primary Burkitt lymphoma of the brain in an immunocompetent patient. Case report, 1127

Carcinoma
Corticotroph carcinoma of the pituitary: a clinicopathological study. Report of four cases, 352
Carmustine
Management of tumor bed cysts after chemotherapeutic wafer implantation. Report of four cases, 941
Carotid artery disease
Stent placement for the treatment of occlusive atherosclerotic carotid artery disease in patients with concomitant coronary artery disease, 490
Carotid stenosis
Multicenter study of the feasibility and safety of using the Memotherm carotid arterial stent for extracranial carotid artery stenosis, 830
Carpal tunnel syndrome
Magnetic resonance neurography studies of the median nerve before and after carpal tunnel decompression, 1046
Caspase
Experimental validation of deuterium oxide–mediated antitumoral activity as it relates to apoptosis in murine malignant astrocytoma cells, 900
Cavernous malformation
Cerebellar mutism associated with a midbrain cavernous malformation. Case report and review of the literature, 607
Cherry angiomas associated with familial cerebral cavernous malformations. Case illustration, 964
Cavernous sinus
Bilateral cavernous sinus actinomycosis resulting in painful ophthalmoplegia. Case report, 600
Cavernous sinus meningioma. Letters, 640, 641
Trigeminal schwannomas: removal of dumbell-shaped tumors through the expanded Meckel cave and outcomes of cranial nerve function, 453
Cellular phone
Electromagnetic field hazards involving adjustable shunt valves in hydrocephalus, 331
Cerebellar hemorrhage
Cerebellar hemorrhage arising postoperatively as a complication of supratentorial surgery: a retrospective study, 248
Cerebral aneurysm
Cerebral oxygen and microdialysis monitoring during aneurysm surgery: effects of blood pressure, cerebrospinal fluid drainage, and temporary clipping on infarction, 1013
Magnetic resonance angiographic evidence of sex-linked variations in the circle of Willis and the occurrence of cerebral aneurysms, 697
Radiometric analysis of paraclinoid carotid artery aneurysms, 649
Rescue balloon procedure for an emergency situation during coil embolization for cerebral aneurysms. Technical note, 373
Seasonal variation in the incidence of aneurysmal subarachnoid hemorrhage in hospital- and community-based studies, 497
Surgery for unruptured aneurysms. Letters, 159, 160
Cerebral angiography
Recurrent intraventricular and subarachnoid hemorrhage due to an intracranial schwannoma. Case illustration, 377
Cerebral blood flow
Regional cerebrovascular and metabolic effects of hyperventilation after severe traumatic brain injury, 103
Traumatic brain injury and hyperventilation. Letters, 155, 156
Cerebral hemorrhage
Brain edema after experimental intracerebral hemorrhage: role of hemoglobin degradation products, 287
Cerebral ischemia
Outcome prediction with serum intercellular adhesion molecule-1 levels after aneurysmal subarachnoid hemorrhage, 71
Prereperfusion flushing of ischemic territory: a therapeutic study in which histological and behavioral assessments were used to measure ischemia–reperfusion injury in rats with stroke, 310
Role of a synthetic pyrimidine compound, MS-818, in reduction of infarct size and amelioration of sensorimotor dysfunction after permanent focal cerebral ischemia in rats, 1072
Cerebral metabolism
Regional cerebrovascular and metabolic effects of hyperventilation after severe traumatic brain injury, 103

Cerebral monitoring
Measurement of brain tissue oxygenation performed using positron emission tomography scanning to validate a novel monitoring method, 263
Cerebral oxygen metabolism
Cerebral tissue $PO_2$ and $SjvO_2$ changes during moderate hyperventilation in patients with severe traumatic brain injury, 97
Cerebrospinal fluid
Acute distortion of the anatomy of the third ventricle during third ventriculostomy. Report of four cases, 597
Evaluation of the healing process after dural reconstuction achieved using a free fascial graft, 280
Cerebrospinal fluid leak
Spontaneous spinal cerebrospinal fluid leaks and minor skeletal features of Marfan syndrome: a microfibrillopathy, 483
Cerebrospinal fluid shunt
Tunneled lumbar drain. Technical note, 1130
Cerebrovascular system
Real-time detection of vascular occlusion and reperfusion of the brain during surgery by using infrared imaging, 918
Cervicomedullary compression
Cervicomedullary junction compression caused by vertebral artery dolichoectasia and requiring surgical treatment. Case report, 140
Chiasma syndrome
Pterional surgery of meningiomas of the tuberculum sellae and planum sphenoidale: surgical results with special consideration of ophthalmological and endocrinological outcomes, 235
Children
Biochemical characterization of pediatric brain tumors by using in vivo and ex vivo magnetic resonance spectroscopy, 1023
Changes in orbital volume during childhood in cases of craniosynostosis, 747
Normal changes in orbital volume during childhood, 742
Choristoma
Neuromuscular choristoma of the sciatic nerve. Case report, 1123
Chronic pain
Cranial root injury in glossopharyngeal neuralgia: electron microscopic observations. Case report, 603
Chronic subdural hematoma
Reversible dementia in patients with chronic subdural hematomas, 680
Why do chronic subdural hematomas continue to grow slowly and not coagulate? Role of thrombomodulin in the mechanism, 877
Cigarette smoking
Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture. Special section, 57
Circle of Willis
Magnetic resonance angiographic evidence of sex-linked variations in the circle of Willis and the occurrence of cerebral aneurysms, 697
Clinical trial
Comparative study of traumatic and spontaneous intracerebral hemorrhage, 86
Clipping
Intraoperative angiography during aneurysm surgery: a prospective evaluation of efficacy, 993
Coagulation
Application of recombinant activated factor VII during surgery for a giant skull base hemangiopericytoma to achieve safe hemostasis. Case report, 946
Coil embolization
Endovascular treatment of an internal carotid artery pseudoaneurysm following transsphenoidal surgery. Case report, 624
Coil migration
Rescue balloon procedure for an emergency situation during coil embolization for cerebral aneurysms. Technical note, 373
Coil unraveling
Rescue balloon procedure for an emergency situation during coil embolization for cerebral aneurysms. Technical note, 373
Cold preservation
Axonal regeneration after cold preservation of nerve allografts and immunosuppression with tacrolimus in mice, 924
Collateral blood flow
Real-time detection of vascular occlusion and reperfusion of the brain during surgery by using infrared imaging, 918
Collateral sulcus
Individual variations in the sulcal anatomy of the basal temporal lobe and its relevance for epilepsy surgery: an anatomical study performed using magnetic resonance imaging, 464
Colloid cyst
High risk of acute deterioration in patients harboring symptomatic colloid cysts of the third ventricle, 1041
Comparative genomic hybridization
Chromosomal imbalances in primary oligodendroglial tumors and their recurrences: clues about malignant progression detected using comparative genomic hybridization, 559
Clinical and molecular analysis of disseminated hemangioblastomatosis of the central nervous system in patients without von Hippel–Lindau disease. Report of four cases, 775
Complication
Cerebellar hemorrhage arising postoperatively as a complication of supratentorial surgery: a retrospective study, 248
Complications of endoscopic third ventriculostomy, 1032
Cranial remodeling to treat craniosynostosis by gradual distraction using a new device, 654
The impact of neurophysiological intraoperative monitoring on surgical decisions: a critical analysis of 423 cases, 255
Intraoperative complications in aneurysm surgery: a prospective national study, 515
A metaanalysis comparing the results of pallidotomy performed using microelectrode recording or macroelectrode stimulation, 1058
Computer-aided learning
Interactive stereoscopic virtual reality: a new tool for neurosurgical education. Technical note, 144
Convection-enhanced delivery
Convection-enhanced delivery into the rat brainstem, 885
Coronary artery bypass grafting
Stent placement for the treatment of occlusive atherosclerotic carotid artery disease in patients with concomitant coronary artery disease, 490
Coronary artery disease
Stent placement for the treatment of occlusive atherosclerotic carotid artery disease in patients with concomitant coronary artery disease, 490

Cortical sulcus
Integration of sulcal and functional information for multimodal neuronavigation, 713
Cortical venous hypertension
Adult pial arteriovenous fistula and superior sagittal sinus stenosis: angiographic evidence for high-flow venopathy at an atypical location. Case report, 792
Cost/benefit analysis
Functional benefits and cost/benefit analysis of continuous intrathecal baclofen infusion for the management of severe spasticity, 1052
Cranial fixation
Titanium miniplates or stainless steel wire for cranial fixation: a prospective randomized comparison, 244
Cranial nerve
Trigeminal schwannomas: removal of dumbell-shaped tumors through the expanded Meckel cave and outcomes of cranial nerve function, 453
Cranial nerve neuralgia
Cranial root injury in glossopharyngeal neuralgia: electron microscopic observations. Case report, 603
Mechanism of trigeminal neuralgia: an ultrastructural analysis of trigeminal root specimens obtained during microvascular decompression surgery, 532
Craniectomy
Perfusion- and diffusion-weighted magnetic resonance imaging for monitoring decompressive craniectomy in animals with experimental hemispheric stroke, 933
Craniofacial surgery
Craniofacial surgery. Letter, 637
Craniopharyngioma
Surgical outcomes in 31 patients with craniopharyngiomas extending outside the suprasellar cistern: an evaluation of the frontobasal interhemispheric approach, 704
Craniosynostosis
Changes in orbital volume during childhood in cases of craniosynostosis, 747
Cranial remodeling to treat craniosynostosis by gradual distraction using a new device, 654
Craniotomy
George J. Heuer: forgotten pioneer at The Johns Hopkins Hospital. Historical vignette, 1139
Cushing, Harvey
George J. Heuer: forgotten pioneer at The Johns Hopkins Hospital. Historical vignette, 1139
Cyclin
Corticotroph carcinoma of the pituitary: a clinicopathological study. Report of four cases, 352
Cynomolgus monkey
Real-time detection of vascular occlusion and reperfusion of the brain during surgery by using infrared imaging, 918
Cystic tumor
Interactive magnetic resonance imaging. Letters, 383, 384
Trigeminal schwannomas: removal of dumbell-shaped tumors through the expanded Meckel cave and outcomes of cranial nerve function, 453
Cytokine
Association of elevated glial expression of interleukin-1β with improved survival in patients with glioblastomas multiforme, 294
Cytotoxicity
Experimental validation of deuterium oxide–mediated antitumoral activity as it relates to apoptosis in murine malignant astrocytoma cells, 900

Dandy, Walter
George J. Heuer: forgotten pioneer at The Johns Hopkins Hospital. Historical vignette, 1139
Deep brain stimulation
Bilateral high-frequency stimulation in the subthalamic nucleus for the treatment of Parkinson disease: correlation of therapeutic effect with anatomical electrode position, 269
Bilateral stimulation of the subthalamic nucleus in patients with Parkinson disease: a study of efficacy and safety, 666
Bilateral thalamic deep brain stimulation for the treatment of head tremor. Report of two cases, 615
Long-term pallidal deep brain stimulation in patients with advanced Parkinson disease: 1-year follow-up study, 844
Subthalamic nucleus stimulation in patients with a prior pallidotomy, 660
Dementia
Reversible dementia in patients with chronic subdural hematomas, 680
Deuterium oxide
Experimental validation of deuterium oxide–mediated antitumoral activity as it relates to apoptosis in murine malignant astrocytoma cells, 900
Diffuse pontine glioma
Convection-enhanced delivery into the rat brainstem, 885
Diffusion
Perfusion- and diffusion-weighted magnetic resonance imaging for monitoring decompressive craniectomy in animals with experimental hemispheric stroke, 933
Dissection
Waterjet dissection in neurosurgical procedures: clinical results in 35 patients, 690
Distraction
Cranial remodeling to treat craniosynostosis by gradual distraction using a new device, 654
Diurnal variation
Seasonal variation in the incidence of aneurysmal subarachnoid hemorrhage in hospital- and community-based studies, 497
DNA methylation
Clinical and molecular analysis of disseminated hemangioblastomatosis of the central nervous system in patients without von Hippel–Lindau disease. Report of four cases, 775
Dog
Preclinical evaluation of a novel device for delivering brachytherapy to the margins of resected brain tumor cavities, 335
Dolichoectasia
Cervicomedullary junction compression caused by vertebral artery dolichoectasia and requiring surgical treatment. Case report, 140
Donor nerve
Brachial plexus neurotization with donor phrenic nerves and its effect on pulmonary function, 523
Drug delivery
Vasospasm. Letter, 382

Dura mater
Evaluation of the healing process after dural reconstuction achieved using a free fascial graft, 280
Dural arteriovenous fistula
Intraosseous dural arteriovenous fistula of the skull base associated with hearing loss. Case report, 952
Multiplicity of dural arteriovenous fistulas, 76
Stereotactic radiosurgery for the treatment of dural arteriovenous fistulas involving the transverse–sigmoid sinus, 823
Dural invasion
The long-term significance of microscopic dural invasion in 354 patients with pituitary adenomas treated with transsphenoidal surgery, 195
Dural ring
Anterior paraclinoid aneurysms, 1000
Endoscope-assisted clipping of a superior hypophyseal artery aneurysm without removal of the anterior clinoid process. Case report, 788
Dural tumor
Dural marginal zone lymphoma with massive amyloid deposition: rare low-grade primary central nervous system B-cell lymphoma. Case report, 368
Dysarthria
Cerebellar mutism associated with a midbrain cavernous malformation. Case report and review of the literature, 607
Dyskinesia
A metaanalysis comparing the results of pallidotomy performed using microelectrode recording or macroelectrode stimulation, 1058

Embolization
Ruptured aneurysm on a double origin of the posterior inferior cerebellar artery: a pathological entity in an anatomical variation. Report of two cases and review of the literature, 127
Endocrine dysfunction
Symptomatic osteolipoma of the tuber cinereum. Case report, 361
Endocrine function
Pterional surgery of meningiomas of the tuberculum sellae and planum sphenoidale: surgical results with special consideration of ophthalmological and endocrinological outcomes, 235
Endoscope
Endoscope-assisted clipping of a superior hypophyseal artery aneurysm without removal of the anterior clinoid process. Case report, 788
Endoscopic third ventriculostomy
Complications of endoscopic third ventriculostomy, 1032
Endothelial cell injury
Why do chronic subdural hematomas continue to grow slowly and not coagulate? Role of thrombomodulin in the mechanism, 877
Endovascular occlusion
Endovascular treatment of giant and large intracranial aneurysms by using a combination of stent placement and liquid polymer injection, 474
Endovascular therapy
Endovascular treatment of an internal carotid artery pseudoaneurysm following transsphenoidal surgery. Case report, 624
Endovascular therapy (*continued*)
Rescue balloon procedure for an emergency situation during coil embolization for cerebral aneurysms. Technical note, 373
Stent placement for the treatment of occlusive atherosclerotic carotid artery disease in patients with concomitant coronary artery disease, 490
Entorhinal cortex
Individual variations in the sulcal anatomy of the basal temporal lobe and its relevance for epilepsy surgery: an anatomical study performed using magnetic resonance imaging, 464
Epilepsy
Self-inflicted vocal cord paralysis in patients with vagus nerve stimulators. Report of two cases, 949
Epilepsy surgery
Cerebellar hemorrhage arising postoperatively as a complication of supratentorial surgery: a retrospective study, 248
Detection and significance of focal, interictal, slow-wave activity visualized by magnetoencephalography for localization of a primary epileptogenic region, 724
Erdheim–Chester disease
Multiple system Erdheim–Chester disease with massive hypothalamic–sellar involvement and hypopituitarism. Case report and review of the literature, 344
Erythropoietin
Does administration of recombinant human erythropoietin attenuate the increase of S-100 protein observed in cerebrospinal fluid after experimental subarachnoid hemorrhage? 565

Factor V
Why do chronic subdural hematomas continue to grow slowly and not coagulate? Role of thrombomodulin in the mechanism, 877
Factor VII
Application of recombinant activated factor VII during surgery for a giant skull base hemangiopericytoma to achieve safe hemostasis. Case report, 946
Factor VIII
Why do chronic subdural hematomas continue to grow slowly and not coagulate? Role of thrombomodulin in the mechanism, 877
Familial lesion
Cherry angiomas associated with familial cerebral cavernous malformations. Case illustration, 964
Far-lateral approach
Far-lateral approach to intradural lesions of the foramen magnum without resection of the occipital condyle, 302
Fas
Apoptosis of T lymphocytes invading glioblastomas multiforme: a possible tumor defense mechanism, 580
Fascia
Evaluation of the healing process after dural reconstuction achieved using a free fascial graft, 280
Fibrillin
Spontaneous spinal cerebrospinal fluid leaks and minor skeletal features of Marfan syndrome: a microfibrillopathy, 483
Fibrillin immunofluorescence
Spontaneous spinal cerebrospinal fluid leaks and minor skeletal features of Marfan syndrome: a microfibrillopathy, 483

Fibrin glue
Polyester meshes and adhesive materials in the brain: comparative research in rats to optimize surgical strategy, 760
Fibrosarcoma
Osteosarcoma and fibrosarcoma caused by postoperative radiotherapy for a pituitary adenoma. Case report, 960
Fluorescence in situ hybridization
Clinical and molecular analysis of disseminated hemangioblastomatosis of the central nervous system in patients without von Hippel–Lindau disease. Report of four cases, 775
Foramen magnum
Far-lateral approach to intradural lesions of the foramen magnum without resection of the occipital condyle, 302
Fourth ventricle
Polyester meshes and adhesive materials in the brain: comparative research in rats to optimize surgical strategy, 760
Frontal sinus
Superficial surgical landmarks for the frontal sinus, 320
Frontobasal interhemispheric approach
Surgical outcomes in 31 patients with craniopharyngiomas extending outside the suprasellar cistern: an evaluation of the frontobasal interhemispheric approach, 704
Frontoorbital advancement
Changes in orbital volume during childhood in cases of craniosynostosis, 747
Frontotemporal approach
George J. Heuer: forgotten pioneer at The Johns Hopkins Hospital. Historical vignette, 1139
Functional magnetic resonance imaging
Integration of sulcal and functional information for multimodal neuronavigation, 713
Functional neurosurgery
Long-term pallidal deep brain stimulation in patients with advanced Parkinson disease: 1-year follow-up study, 844
Fusiform aneurysm
Endovascular treatment of giant and large intracranial aneurysms by using a combination of stent placement and liquid polymer injection, 474

Gamma knife
Gamma surgery for melanoma metastases in the brain, 544
Gamma knife surgery
Gamma knife surgery for trigeminal neuralgia. Letters, 160, 161
Malignant schwannoma. Letters, 805, 806
Renal metastasis. Letters, 804, 805
Stereotactic radiosurgery for the treatment of dural arteriovenous fistulas involving the transverse–sigmoid sinus, 823
Germ cell tumor
Intrathecal and intraperitoneal germinomas occurring 20 years after total removal of a pineal teratoma. Case report, 364
Germinoma
Intrathecal and intraperitoneal germinomas occurring 20 years after total removal of a pineal teratoma. Case report, 364
Temporary ventricular drainage and emergency radiotherapy in the management of hydrocephalus associated with germinoma, 1020
Giant aneurysm
Endovascular treatment of giant and large intracranial aneurysms by using a combination of stent placement and liquid polymer injection, 474
Glioblastoma
Resection of glioblastoma. Letters, 809, 810
Glioblastoma multiforme
Analysis of homozygous deletion of the *p16* gene and correlation with survival in patients with glioblastoma multiforme, 815
Apoptosis of T lymphocytes invading glioblastomas multiforme: a possible tumor defense mechanism, 580
Glioma
Association of elevated glial expression of interleukin-1β with improved survival in patients with glioblastomas multiforme, 294
Experimental validation of deuterium oxide–mediated antitumoral activity as it relates to apoptosis in murine malignant astrocytoma cells, 900
Preclinical evaluation of a novel device for delivering brachytherapy to the margins of resected brain tumor cavities, 335
Globus pallidus
Comparison of atlas- and magnetic resonance imaging–based stereotactic targeting of the globus pallidus internus in the performance of deep brain stimulation of treatment of dystonia, 673
Long-term pallidal deep brain stimulation in patients with advanced Parkinson disease: 1-year follow-up study, 844
Glossopharyngeal neuralgia
Cranial root injury in glossopharyngeal neuralgia: electron microscopic observations. Case report, 603
Glucocorticoid receptor
Corticotroph carcinoma of the pituitary: a clinicopathological study. Report of four cases, 352
Guglielmi detachable coil
Bypass combined with embolization via a venous graft in a patient with a giant aneurysm in the posterior communicating artery and bilateral idiopathic occlusion of the internal carotid artery in the neck. Case report, 135
Postprocedure ischemic events after treatment of intracranial aneurysms with Guglielmi detachable coils, 837
Rescue balloon procedure for an emergency situation during coil embolization for cerebral aneurysms. Technical note, 373
Guinea pig
Evaluation of the healing process after dural reconstuction achieved using a free fascial graft, 280

Hamartoma
Neuromuscular choristoma of the sciatic nerve. Case report, 1123
Hasegawa Dementia Scale
Reversible dementia in patients with chronic subdural hematomas, 680
Head injury
Autoregulation-oriented strategy. Letters, 1158
Effect of apolipoprotein E genotype on hematoma volume after trauma, 90
Propofol. Letters, 1160, 1161, 1162
Headache
Spontaneous spinal cerebrospinal fluid leaks and minor skeletal features of Marfan syndrome: a microfibrillopathy, 483

Hearing loss
Correlation between auditory function and internal auditory canal pressure in patients with vestibular schwannomas, 872
Intraosseous dural arteriovenous fistula of the skull base associated with hearing loss. Case report, 952
Hearing preservation
Hearing restoration after resection of an intracanalicular vestibular schwannoma: a role for emergency surgery? Case report and review of the literature, 796
Hemoglobin
Brain edema after experimental intracerebral hemorrhage: role of hemoglobin degradation products, 287
Heme oxygenase-1 gene therapy for prevention of vasospasm in rats, 1094
Hemorrhage
Multiplicity of dural arteriovenous fistulas, 76
Hemostasis
Application of recombinant activated factor VII during surgery for a giant skull base hemangiopericytoma to achieve safe hemostasis. Case report, 946
Heparin
Thromboprophylaxis. Letters, 806, 807, 808
Heuer, George J.
George J. Heuer: forgotten pioneer at The Johns Hopkins Hospital. Historical vignette, 1139
High-flow venopathy
Adult pial arteriovenous fistula and superior sagittal sinus stenosis: angiographic evidence for high-flow venopathy at an atypical location. Case report, 792
Histological study
Chromosomal imbalances in primary oligodendroglial tumors and their recurrences: clues about malignant progression detected using comparative genomic hybridization? 559
Histopathological study
Stilbazulenyl nitrone, a novel azulenyl nitrone antioxidant, improved neurological deficit and reduced contusion size after traumatic brain injury in rats, 1077
Homozygous deletion
Analysis of homozygous deletion of the *p16* gene and correlation with survival in patients with glioblastoma multiforme, 815
Hydrocephalus
Acute distortion of the anatomy of the third ventricle during third ventriculostomy. Report of four cases, 597
Electromagnetic field hazards involving adjustable shunt valves in hydrocephalus, 331
Temporary ventricular drainage and emergency radiotherapy in the management of hydrocephalus associated with germinoma, 1020
Hyperglycemia cerebral ischemia
Hippocampal injury and neurobehavioral deficits following hyperglycemic cerebral ischemia: effect of theophylline and ZM 241385, 117
Hyperplasia
Changes in the epithelium of Rathke cleft cyst associated with inflammation, 209
Hypertension
Investigations using magnetic resonance imaging: is neurovascular compression present in patients with essential hypertension? 1006
Hyperventilation
Cerebral tissue $PO_2$ and $SjvO_2$ changes during moderate hyperventilation in patients with severe traumatic brain injury, 97
Hyperventilation (*continued*)
Hyperventilation. Letters, 157, 158
Regional cerebrovascular and metabolic effects of hyperventilation after severe traumatic brain injury, 103
Hypoglossal nerve
Detailed anatomy of the intracranial segment of the hypoglossal nerve: neurovascular relationships and landmarks on magnetic resonance imaging sequences, 1113
Hypophysitis
Changes in the epithelium of Rathke cleft cyst associated with inflammation, 209
Hypothalamic-pituitary insufficiency
Multiple system Erdheim–Chester disease with massive hypothalamic–sellar involvement and hypopituitarism. Case report and review of the literature, 344
Hypothalamus
Multiple system Erdheim–Chester disease with massive hypothalamic–sellar involvement and hypopituitarism. Case report and review of the literature, 344
Hypothermia
Intraoperative complications in aneurysm surgery: a prospective national study, 515

Immunohistochemistry
Clinical and molecular analysis of disseminated hemangioblastomatosis of the central nervous system in patients without von Hippel–Lindau disease. Report of four cases, 775
Infarct volume
Role of a synthetic pyrimidine compound, MS-818, in reduction of infarct size and amelioration of sensorimotor dysfunction after permanent focal cerebral ischemia in rats, 1072
Infarction
Prereperfusion flushing of ischemic territory: a therapeutic study in which histological and behavioral assessments were used to measure ischemia–reperfusion injury in rats with stroke, 310
Inflammation
Changes in the epithelium of Rathke cleft cyst associated with inflammation, 209
Chronic granulomatous neuritis in idiopathic trigeminal sensory neuropathy. Report of two cases, 585
Persistent accumulation of cyclooxygenase-1–expressing microglial cells and macrophages and transient upregulation by endothelium in human brain injury, 892
Infrared imaging
Real-time detection of vascular occlusion and reperfusion of the brain during surgery by using infrared imaging, 918
Intercellular adhesion molecule-1
Outcome prediction with serum intercellular adhesion molecule-1 levels after aneurysmal subarachnoid hemorrhage, 71
Interferon
Association of elevated glial expression of interleukin-1β with improved survival in patients with glioblastomas multiforme, 294
Interleukin
Association of elevated glial expression of interleukin-1β with improved survival in patients with glioblastomas multiforme, 294

Internal auditory canal pressure
Correlation between auditory function and internal auditory canal pressure in patients with vestibular schwannomas, 872
Internal carotid artery
Anterior paraclinoid aneurysms, 1000
Radiometric analysis of paraclinoid carotid artery aneurysms, 649
Interstitial chemotherapy
Management of tumor bed cysts after chemotherapeutic wafer implantation. Report of four cases, 941
Intervertebral disc disease
R. Glen Spurling: surgeon, author, and neurosurgical visionary. Historical vignette, 1147
Intracerebral hematoma
Neuroendoscopic identification of a basilar artery tip aneurysm in the third ventricle. Case illustration, 1138
Intracerebral hemorrhage
Comparative study of traumatic and spontaneous intracerebral hemorrhage, 86
Reversible ischemia around intracerebral hemorrhage: a single-photon emission computerized tomography study, 736
Intracranial aneurysm
Intraoperative angiography during aneurysm surgery: a prospective evaluation of efficacy, 993
Intraoperative complications in aneurysm surgery: a prospective national study, 515
Subarachnoid hemorrhage from a ruptured anterior cerebral artery aneurysm caused by polyarteritis nodosa. Case report, 132
Intracranial cyst
Management of tumor bed cysts after chemotherapeutic wafer implantation. Report of four cases, 941
Intracranial hematoma
Effect of apolipoprotein E genotype on hematoma volume after trauma, 90
Intracranial hemorrhage
Progressive hemorrhage after head trauma: predictors and consequences of the evolving injury, 109
Intracranial hypotension
Spontaneous spinal cerebrospinal fluid leaks and minor skeletal features of Marfan syndrome: a microfibrillopathy, 483
Intracranial metastasis
Renal metastasis. Letters, 804, 805
Intracranial pressure
Cerebral tissue $PO_2$ and $SjvO_2$ changes during moderate hyperventilation in patients with severe traumatic brain injury, 97
Tissue resonance analysis: a novel method for the noninvasive monitoring of intracranial pressure. Technical note, 1132
Intracranial pressure monitoring
Tissue resonance analysis: a novel method for the noninvasive monitoring of intracranial pressure. Technical note, 1132
Intracranial stent
Adult pial arteriovenous fistula and superior sagittal sinus stenosis: angiographic evidence for high-flow venopathy at an atypical location. Case report, 792
Intraoperative aneurysm rupture
Intraoperative complications in aneurysm surgery: a prospective national study, 515
Intraoperative angiography
Intraoperative angiography during aneurysm surgery: a prospective evaluation of efficacy, 993
Routine intraoperative angiography during aneurysm surgery, 988
Intraoperative monitoring
The impact of neurophysiological intraoperative monitoring on surgical decisions: a critical analysis of 423 cases, 255
Intraoperative ultrasonography
A new method of ultrasonic guidance of neuroendoscopic procedures. Technical note, 628
Intraosseous lesion
Intraosseous dural arteriovenous fistula of the skull base associated with hearing loss. Case report, 952
Intrathecal baclofen
Functional benefits and cost/benefit analysis of continuous intrathecal baclofen infusion for the management of severe spasticity, 1052
Intraventricular hemorrhage
Recurrent intraventricular and subarachnoid hemorrhage due to an intracranial schwannoma. Case illustration, 377
Intraventricular tumor
High risk of acute deterioration in patients harboring symptomatic colloid cysts of the third ventricle, 1041
Iron
Brain edema after experimental intracerebral hemorrhage: role of hemoglobin degradation products, 287
Ischemia
Real-time detection of vascular occlusion and reperfusion of the brain during surgery by using infrared imaging, 918
Ischemic stroke
Multicenter study of the feasibility and safety of using the Memotherm carotid arterial stent for extracranial carotid artery stenosis, 830

Johns Hopkins
George J. Heuer: forgotten pioneer at The Johns Hopkins Hospital. Historical vignette, 1139
Jugular venous oxygen saturation
Cerebral tissue $PO_2$ and $SjvO_2$ changes during moderate hyperventilation in patients with severe traumatic brain injury, 97

Karnofsky Performance Scale
Resection of glioblastoma. Letters, 809, 810
Keyhole approach
Eyebrow incision. Letters, 972, 973

Lipoma
Symptomatic osteolipoma of the tuber cinereum. Case report, 361
Local delivery
Convection-enhanced delivery into the rat brainstem, 885
Long saphenous graft
Bypass combined with embolization via a venous graft in a patient with a giant aneurysm in the posterior communicating artery and bilateral idiopathic occlusion of the internal carotid artery in the neck. Case report, 135
Lumbar drain
Tunneled lumbar drain. Technical note, 1130

Magnesium sulfate
Magnesium sulfate therapy after aneurysmal subarachnoid hemorrhage, 510

Magnetic resonance imaging
Bilateral subdural effusion and cerebral displacement associated with spontaneous intracranial hypotension: diagnostic and management straegies. Report of two cases, 956
Comparison of atlas- and magnetic resonance imaging–based stereotactic targeting of the globus pallidus internus in the performance of deep brain stimulation of treatment of dystonia, 673
Detailed anatomy of the intracranial segment of the hypoglossal nerve: neurovascular relationships and landmarks on magnetic resonance imaging sequences, 1113
Detection of hyperacute subarachnoid hemorrhage of the brain by using magnetic resonance imaging, 684
Interactive magnetic resonance imaging. Letters, 383, 384
Investigations using magnetic resonance imaging: is neurovascular compression present in patients with essential hypertension? 1006
Optimal location of thalamotomy lesions for tremor associated with Parkinson disease: a probabilistic analysis based on postoperative magnetic resonance imaging and an integrated digital atlas, 854
Perfusion- and diffusion-weighted magnetic resonance imaging for monitoring decompressive craniectomy in animals with experimental hemispheric stroke, 933
Section overview: unruptured aneurysms. Special section, 1
Magnetic resonance neurography
Magnetic resonance neurography of peripheral nerve following experimental crush injury, and correlation with functional deficit, 755
Magnetic resonance neurography studies of the median nerve before and after carpal tunnel decompression, 1046
Magnetic resonance spectroscopy
Biochemical characterization of pediatric brain tumors by using in vivo and ex vivo magnetic resonance spectroscopy, 1023
Magnetic source imaging
Detection and significance of focal, interictal, slow-wave activity visualized by magnetoencephalography for localization of a primary epileptogenic region, 724
Magnetoencephalography
Detection and significance of focal, interictal, slow-wave activity visualized by magnetoencephalography for localization of a primary epileptogenic region, 724
Integration of sulcal and functional information for multimodal neuronavigation, 713
Marfan syndrome
Spontaneous spinal cerebrospinal fluid leaks and minor skeletal features of Marfan syndrome: a microfibrillopathy, 483
Meckel cave
Trigeminal schwannomas: removal of dumbell-shaped tumors through the expanded Meckel cave and outcomes of cranial nerve function, 453
Melanocyte
Intracranial meningeal melanocytoma associated with ipsilateral nevus of Ota. Case report, 619
Melanocytoma
Intracranial meningeal melanocytoma associated with ipsilateral nevus of Ota. Case report, 619
Melanoma
Gamma surgery for melanoma metastases in the brain, 544
Surgical management of cerebral metastases from melanoma outcome in 147 patients treated at a single institution over two decades, 552
Meninges
Multiple system Erdheim–Chester disease with massive hypothalamic–sellar involvement and hypopituitarism. Case report and review of the literature, 344
Meningioma
Cavernous sinus meningioma. Letters, 640, 641
Far-lateral approach to intradural lesions of the foramen magnum without resection of the occipital condyle, 302
Primary low-grade B-cell lymphoma of mucosa-associated lymphoid tissue of the dura mimicking the presentation of an acute subdural hematoma. Case report and review of the literature, 611
Pterional surgery of meningiomas of the tuberculum sellae and planum sphenoidale: surgical results with special consideration of ophthalmological and endocrinological outcomes, 235
Metaanalysis
A metaanalysis comparing the results of pallidotomy performed using microelectrode recording or macroelectrode stimulation, 1058
Metaplasia
Changes in the epithelium of Rathke cleft cyst associated with inflammation, 209
Metastasis
Gamma surgery for melanoma metastases in the brain, 544
Surgical management of cerebral metastases from melanoma outcome in 147 patients treated at a single institution over two decades, 552
MIB-1
Corticotroph carcinoma of the pituitary: a clinicopathological study. Report of four cases, 352
Microcirculation
Prereperfusion flushing of ischemic territory: a therapeutic study in which histological and behavioral assessments were used to measure ischemia–reperfusion injury in rats with stroke, 310
Microelectrode recording
A metaanalysis comparing the results of pallidotomy performed using microelectrode recording or macroelectrode stimulation, 1058
Microfibrillopathy
Spontaneous spinal cerebrospinal fluid leaks and minor skeletal features of Marfan syndrome: a microfibrillopathy, 483
Microvascular decompression
Cranial root injury in glossopharyngeal neuralgia: electron microscopic observations. Case report, 603
Mechanism of trigeminal neuralgia: an ultrastructural analysis of trigeminal root specimens obtained during microvascular decompression surgery, 532
Predictors of outcome in surgically managed patients with typical and atypical trigeminal neuralgia: comparison of results following microvascular decompression, 527
Midbrain
Cerebellar mutism associated with a midbrain cavernous malformation. Case report and review of the literature, 607
Middle cerebral artery infarction
Perfusion- and diffusion-weighted magnetic resonance imaging for monitoring decompressive craniectomy in animals with experimental hemispheric stroke, 933
Middle fossa
Accessory foramen opticum, ovale, and spinosum. Case illustration, 965

Minicraniotomy
Eyebrow incision. Letters, 972, 973
Mini-Mental State Examination
Reversible dementia in patients with chronic subdural hematomas, 680
Miniplate
Titanium miniplates or stainless steel wire for cranial fixation: a prospective randomized comparison, 244
Morphometric study
The tentorial notch: anatomical variation, morphometric analysis, and classification in 100 human autopsy cases, 1103
Morris water maze
Hippocampal injury and neurobehavioral deficits following hyperglycemic cerebral ischemia: effect of theophylline and ZM 241385, 117
Motor evoked potential
Total intravenous anesthesia for intraoperative monitoring of the motor pathways: an integral view combining clinical and experimental data, 571
Motor response
Prereperfusion flushing of ischemic territory: a therapeutic study in which histological and behavioral assessments were used to measure ischemia–reperfusion injury in rats with stroke, 310
Mouse
Axonal regeneration after cold preservation of nerve allografts and immunosuppression with tacrolimus in mice, 924
MS-818
Role of a synthetic pyrimidine compound, MS-818, in reduction of infarct size and amelioration of sensorimotor dysfunction after permanent focal cerebral ischemia in rats, 1072
Mucosa-associated lymphoid tissue lymphoma
Primary low-grade B-cell lymphoma of mucosa-associated lymphoid tissue of the dura mimicking the presentation of an acute subdural hematoma. Case report and review of the literature, 611
Multiple lesions
Multiplicity of dural arteriovenous fistulas, 76
Mutism
Cerebellar mutism associated with a midbrain cavernous malformation. Case report and review of the literature, 607
Myocardial infarction
Multicenter study of the feasibility and safety of using the Memotherm carotid arterial stent for extracranial carotid artery stenosis, 830

Natural history
Predictors of vestibular schwannoma growth in patients with neurofibromatosis Type 2, 217
Vestibular schwannoma growth in patients with neurofibromatosis Type 2: a longitudinal study, 223
Neocortex
Correlation between changes in apparent diffusion coefficient and induction of heat shock protein, cell-specific injury marker expression, and protein synthesis reduction on diffusion-weighted magnetic resonance images after temporary focal cerebral ischemia in rats, 1084
Nerve allograft
Axonal regeneration after cold preservation of nerve allografts and immunosuppression with tacrolimus in mice, 924
Nerve injury
Magnetic resonance neurography of peripheral nerve following experimental crush injury, and correlation with functional deficit, 755
Nerve pathophysiology
Cranial root injury in glossopharyngeal neuralgia: electron microscopic observations. Case report, 603
Mechanism of trigeminal neuralgia: an ultrastructural analysis of trigeminal root specimens obtained during microvascular decompression surgery, 532
Nerve root entry zone
Investigations using magnetic resonance imaging: is neurovascular compression present in patients with essential hypertension? 1006
Neural transplantation
Simultaneous intrastriatal and intranigral fetal dopaminergic grafts in patients with Parkinson disease: a pilot study. Report of three cases, 589
Neurobehavioral outcome
Stilbazulenyl nitrone, a novel azulenyl nitrone antioxidant, improved neurological deficit and reduced contusion size after traumatic brain injury in rats, 1077
Neuroendoscopic surgery
Neuroendoscopic identification of a basilar artery tip aneurysm in the third ventricle. Case illustration, 1138
A new method of ultrasonic guidance of neuroendoscopic procedures. Technical note, 628
Neuroendoscopy
Complications of endoscopic third ventriculostomy, 1032
Neurofibromatosis Type 2
Multichannel auditory brainstem implant: update on performance in 61 patients, 1063
Predictors of vestibular schwannoma growth in patients with neurofibromatosis Type 2, 217
Vestibular schwannoma growth in patients with neurofibromatosis Type 2: a longitudinal study, 223
Neurogenetics
Predictors of vestibular schwannoma growth in patients with neurofibromatosis Type 2, 217
Vestibular schwannoma growth in patients with neurofibromatosis Type 2: a longitudinal study, 223
Neurological deficit
Prereperfusion flushing of ischemic territory: a therapeutic study in which histological and behavioral assessments were used to measure ischemia–reperfusion injury in rats with stroke, 310
Neuroma
Chronic granulomatous neuritis in idiopathic trigeminal sensory neuropathy. Report of two cases, 585
Neuronal nuclear protein
Correlation between changes in apparent diffusion coefficient and induction of heat shock protein, cell-specific injury marker expression, and protein synthesis reduction on diffusion-weighted magnetic resonance images after temporary focal cerebral ischemia in rats, 1084
Neuronavigation
Integration of sulcal and functional information for multimodal neuronavigation, 713
A new method of ultrasonic guidance of neuroendoscopic procedures. Technical note, 628
Neuropathy
Chronic granulomatous neuritis in idiopathic trigeminal sensory neuropathy. Report of two cases, 585

Neurophysiology
Total intravenous anesthesia for intraoperative monitoring of the motor pathways: an integral view combining clinical and experimental data, 571
Neuroprotection
Intraoperative complications in aneurysm surgery: a prospective national study, 515
Stilbazulenyl nitrone, a novel azulenyl nitrone antioxidant, improved neurological deficit and reduced contusion size after traumatic brain injury in rats, 1077
Neurosurgical education
Interactive stereoscopic virtual reality: a new tool for neurosurgical education. Technical note, 144
Neurosurgical history
George J. Heuer: forgotten pioneer at The Johns Hopkins Hospital. Historical vignette, 1139
R. Glen Spurling: surgeon, author, and neurosurgical visionary. Historical vignette, 1147
Neurosurgical simulation
Interactive stereoscopic virtual reality: a new tool for neurosurgical education. Technical note, 144
Neurotization
Brachial plexus neurotization with donor phrenic nerves and its effect on pulmonary function, 523
Neurovascular contact
Detailed anatomy of the intracranial segment of the hypoglossal nerve: neurovascular relationships and landmarks on magnetic resonance imaging sequences, 1113
Neurovascular decompression
Cervicomedullary junction compression caused by vertebral artery dolichoectasia and requiring surgical treatment. Case report, 140
Nevus of Ota
Intracranial meningeal melanocytoma associated with ipsilateral nevus of Ota. Case report, 619
Nidus
Compartments in arteriovenous malformation nidi demonstrated with rotational three-dimensional digital subtraction angiography by using selective microcatheterization. Report of three cases, 770
Nitric oxide
Association of elevated glial expression of interleukin-1β with improved survival in patients with glioblastomas multiforme, 294
Non–Langerhans cell histiocytosis
Multiple system Erdheim–Chester disease with massive hypothalamic–sellar involvement and hypopituitarism. Case report and review of the literature, 344

Occipital condyle
Far-lateral approach to intradural lesions of the foramen magnum without resection of the occipital condyle, 302
Oculomotor nerve
The tentorial notch: anatomical variation, morphometric analysis, and classification in 100 human autopsy cases, 1103
Oligoastrocytoma
Chromosomal imbalances in primary oligodendroglial tumors and their recurrences: clues about malignant progression detected using comparative genomic hybridization, 559
Oligodendroglioma
Chromosomal imbalances in primary oligodendroglial tumors and their recurrences: clues about malignant progression detected using comparative genomic hybridization, 559
Oligodeoxynucleotide
Aberrant nuclear factor-κB activity and its participation in the growth of human malignant astrocytoma, 909
Ophthalmic artery
Endoscope-assisted clipping of a superior hypophyseal artery aneurysm without removal of the anterior clinoid process. Case report, 788
Ophthalmic segment of internal carotid artery
Anterior paraclinoid aneurysms, 1000
Ophthalmoplegia
Bilateral cavernous sinus actinomycosis resulting in painful ophthalmoplegia. Case report, 600
Orbital volume
Changes in orbital volume during childhood in cases of craniosynostosis, 747
Normal changes in orbital volume during childhood, 742
Oropharyngeal apraxia
Cerebellar mutism associated with a midbrain cavernous malformation. Case report and review of the literature, 607
Osteolipoma
Symptomatic osteolipoma of the tuber cinereum. Case report, 361
Osteosarcoma
Osteosarcoma and fibrosarcoma caused by postoperative radiotherapy for a pituitary adenoma. Case report, 960
Osteosynthesis
Titanium miniplates or stainless steel wire for cranial fixation: a prospective randomized comparison, 244
Outcome
Magnetic resonance neurography studies of the median nerve before and after carpal tunnel decompression, 1046
Predictors of outcome in surgically managed patients with typical and atypical trigeminal neuralgia: comparison of results following microvascular decompression, 527
Surgical management of cerebral metastases from melanoma outcome in 147 patients treated at a single institution over two decades, 552
Oxidative stress
Persistent accumulation of cyclooxygenase-1–expressing microglial cells and macrophages and transient upregulation by endothelium in human brain injury, 892
Oximetry
Cerebral oxygen and microdialysis monitoring during aneurysm surgery: effects of blood pressure, cerebrospinal fluid drainage, and temporary clipping on infarction, 1013
Oxygen radicals
Stilbazulenyl nitrone, a novel azulenyl nitrone antioxidant, improved neurological deficit and reduced contusion size after traumatic brain injury in rats, 1077

p27
Corticotroph carcinoma of the pituitary: a clinicopathological study. Report of four cases, 352
p53
Corticotroph carcinoma of the pituitary: a clinicopathological study. Report of four cases, 352

*p16* gene
Analysis of homozygous deletion of the *p16* gene and correlation with survival in patients with glioblastoma multiforme, 815
Pallidotomy
A metaanalysis comparing the results of pallidotomy performed using microelectrode recording or macroelectrode stimulation, 1058
Subthalamic nucleus stimulation in patients with a prior pallidotomy, 660
Papaverine
Papaverine and vasospasm. Letters, 973, 974
Statistical techniques and vasospasm. Letter, 381
Paraclinoid aneurysm
Endoscope-assisted clipping of a superior hypophyseal artery aneurysm without removal of the anterior clinoid process. Case report, 788
Paraclinoid carotid artery aneurysm
Radiometric analysis of paraclinoid carotid artery aneurysms, 649
Parahippocampal gyrus
Individual variations in the sulcal anatomy of the basal temporal lobe and its relevance for epilepsy surgery: an anatomical study performed using magnetic resonance imaging, 464
Paralysis
Self-inflicted vocal cord paralysis in patients with vagus nerve stimulators. Report of two cases, 949
Paranasal sinus
Superficial surgical landmarks for the frontal sinus, 320
Parkinson disease
Bilateral high-frequency stimulation in the subthalamic nucleus for the treatment of Parkinson disease: correlation of therapeutic effect with anatomical electrode position, 269
Bilateral stimulation of the subthalamic nucleus in patients with Parkinson disease: a study of efficacy and safety, 666
Long-term pallidal deep brain stimulation in patients with advanced Parkinson disease: 1-year follow-up study, 844
A metaanalysis comparing the results of pallidotomy performed using microelectrode recording or macroelectrode stimulation, 1058
Optimal location of thalamotomy lesions for tremor associated with Parkinson disease: a probabilistic analysis based on postoperative magnetic resonance imaging and an integrated digital atlas, 854
Parkinson disease. Letter, 641
Simultaneous intrastriatal and intranigral fetal dopaminergic grafts in patients with Parkinson disease: a pilot study. Report of three cases, 589
Subthalamic nucleus stimulation in patients with a prior pallidotomy, 660
Perfusion
Perfusion- and diffusion-weighted magnetic resonance imaging for monitoring decompressive craniectomy in animals with experimental hemispheric stroke, 933
Peripheral nerve
Neuromuscular choristoma of the sciatic nerve. Case report, 1123
Phrenic nerve
Brachial plexus neurotization with donor phrenic nerves and its effect on pulmonary function, 523
Pilocytic astrocytoma
Quality-of-life assessment in patients who had been surgically treated for cerebellar pilocytic astrocytoma in childhood, 229
Pineal gland
Intrathecal and intraperitoneal germinomas occurring 20 years after total removal of a pineal teratoma. Case report, 364
Pituitary
Corticotroph carcinoma of the pituitary: a clinicopathological study. Report of four cases, 352
Multiple system Erdheim–Chester disease with massive hypothalamic–sellar involvement and hypopituitarism. Case report and review of the literature, 344
Pituitary adenoma
The long-term significance of microscopic dural invasion in 354 patients with pituitary adenomas treated with transsphenoidal surgery, 195
Osteosarcoma and fibrosarcoma caused by postoperative radiotherapy for a pituitary adenoma. Case report, 960
Pituitary tumor
Transphenoidal surgery. Letters, 1159, 1160
Platelet inhibitors
Multicenter study of the feasibility and safety of using the Memotherm carotid arterial stent for extracranial carotid artery stenosis, 830
Polyarteritis nodosa
Subarachnoid hemorrhage from a ruptured anterior cerebral artery aneurysm caused by polyarteritis nodosa. Case report, 132
Positron emission tomography
Hyperventilation. Letters, 157, 158
Measurement of brain tissue oxygenation performed using positron emission tomography scanning to validate a novel monitoring method, 263
Regional cerebrovascular and metabolic effects of hyperventilation after severe traumatic brain injury, 103
Posterior communicating artery aneurysm
Bypass combined with embolization via a venous graft in a patient with a giant aneurysm in the posterior communicating artery and bilateral idiopathic occlusion of the internal carotid artery in the neck. Case report, 135
Posterior inferior cerebellar artery
Ruptured aneurysm on a double origin of the posterior inferior cerebellar artery: a pathological entity in an anatomical variation. Report of two cases and review of the literature, 127
Vertebral artery–posterior inferior cerebellar artery bypass with a superficial temporal artery graft to treat aneurysms involving the posterior inferior cerebellar artery, 867
Postural headache
Bilateral subdural effusion and cerebral displacement associated with spontaneous intracranial hypotension: diagnostic and management strategies. Report of two cases, 956
Prognosis
Analysis of homozygous deletion of the *p16* gene and correlation with survival in patients with glioblastoma multiforme, 815
A proposed radiosurgery-based grading system for arteriovenous malformations, 79
Progressive disease
Chromosomal imbalances in primary oligodendroglial tumors and their recurrences: clues about malignant progression detected using comparative genomic hybridization, 559

Progressive hemorrhagic injury
Progressive hemorrhage after head trauma: predictors and consequences of the evolving injury, 109
Propofol
Propofol. Letters, 1160, 1161, 1162
Prostaglandin
Persistent accumulation of cyclooxygenase-1–expressing microglial cells and macrophages and transient upregulation by endothelium in human brain injury, 892
Pseudoaneurysm
Endovascular treatment of an internal carotid artery pseudoaneurysm following transsphenoidal surgery. Case report, 624
Pulmonary function
Brachial plexus neurotization with donor phrenic nerves and its effect on pulmonary function, 523
Pulse-chase analysis
Spontaneous spinal cerebrospinal fluid leaks and minor skeletal features of Marfan syndrome: a microfibrillopathy, 483
Pyrimidine derivative
Role of a synthetic pyrimidine compound, MS-818, in reduction of infarct size and amelioration of sensorimotor dysfunction after permanent focal cerebral ischemia in rats, 1072

Quality of life
Functional benefits and cost/benefit analysis of continuous intrathecal baclofen infusion for the management of severe spasticity, 1052
Quality-of-life assessment in patients who had been surgically treated for cerebellar pilocytic astrocytoma in childhood, 229
QuickTime virtual reality
Interactive stereoscopic virtual reality: a new tool for neurosurgical education. Technical note, 144

Rabbit
Does administration of recombinant human erythropoietin attenuate the increase of S-100 protein observed in cerebrospinal fluid after experimental subarachnoid hemorrhage? 565
Total intravenous anesthesia for intraoperative monitoring of the motor pathways: an integral view combining clinical and experimental data, 571
Radiation therapy
Preclinical evaluation of a novel device for delivering brachytherapy to the margins of resected brain tumor cavities, 335
Surgical management of cerebral metastases from melanoma outcome in 147 patients treated at a single institution over two decades, 552
Radiosurgery
Gamma surgery for melanoma metastases in the brain, 544
A proposed radiosurgery-based grading system for arteriovenous malformations, 79
Stereotactic radiosurgery for the treatment of dural arteriovenous fistulas involving the transverse–sigmoid sinus, 823
Radiotherapy
Osteosarcoma and fibrosarcoma caused by postoperative radiotherapy for a pituitary adenoma. Case report, 960
Radiotherapy (*continued*)
Temporary ventricular drainage and emergency radiotherapy in the management of hydrocephalus associated with germinoma, 1020
Rat
Brain edema after experimental intracerebral hemorrhage: role of hemoglobin degradation products, 287
Convection-enhanced delivery into the rat brainstem, 885
Correlation between changes in apparent diffusion coefficient and induction of heat shock protein, cell-specific injury marker expression, and protein synthesis reduction on diffusion-weighted magnetic resonance images after temporary focal cerebral ischemia in rats, 1084
Evaluation of the healing process after dural reconstuction achieved using a free fascial graft, 280
Heme oxygenase-1 gene therapy for prevention of vasospasm in rats, 1094
Magnetic resonance neurography of peripheral nerve following experimental crush injury, and correlation with functional deficit, 755
Perfusion- and diffusion-weighted magnetic resonance imaging for monitoring decompressive craniectomy in animals with experimental hemispheric stroke, 933
Polyester meshes and adhesive materials in the brain: comparative research in rats to optimize surgical strategy, 760
Prereperfusion flushing of ischemic territory: a therapeutic study in which histological and behavioral assessments were used to measure ischemia–reperfusion injury in rats with stroke, 310
Role of a synthetic pyrimidine compound, MS-818, in reduction of infarct size and amelioration of sensorimotor dysfunction after permanent focal cerebral ischemia in rats, 1072
Stilbazulenyl nitrone, a novel azulenyl nitrone antioxidant, improved neurological deficit and reduced contusion size after traumatic brain injury in rats, 1077
Rathke cleft cyst
Changes in the epithelium of Rathke cleft cyst associated with inflammation, 209
Reactive oxygen species
Stilbazulenyl nitrone, a novel azulenyl nitrone antioxidant, improved neurological deficit and reduced contusion size after traumatic brain injury in rats, 1077
Receiver operating characteristic
Accuracy of transcranial color Doppler ultrasonography in the diagnosis of middle cerebral artery spasm determined by receiver operating characteristic analysis, 323
Recombinant activated factor VII
Application of recombinant activated factor VII during surgery for a giant skull base hemangiopericytoma to achieve safe hemostasis. Case report, 946
Reperfusion damage
Prereperfusion flushing of ischemic territory: a therapeutic study in which histological and behavioral assessments were used to measure ischemia–reperfusion injury in rats with stroke, 310
Resection
Preclinical evaluation of a novel device for delivering brachytherapy to the margins of resected brain tumor cavities, 335
Residual aneurysm
Routine intraoperative angiography during aneurysm surgery, 988

Revascularization
Vertebral artery–posterior inferior cerebellar artery bypass with a superficial temporal artery graft to treat aneurysms involving the posterior inferior cerebellar artery, 867
Risk factor
High risk of acute deterioration in patients harboring symptomatic colloid cysts of the third ventricle, 1041
Magnetic resonance angiographic evidence of sex-linked variations in the circle of Willis and the occurrence of cerebral aneurysms, 697
Ruptured aneurysm
Sizes of ruptured and unruptured aneurysms in relation to their sites and the ages of patients, 64

S-100 protein
Does administration of recombinant human erythropoietin attenuate the increase of S-100 protein observed in cerebrospinal fluid after experimental subarachnoid hemorrhage? 565
Saccular aneurysm
Posterior fossa aneurysms. Letters, 637, 638
Schwannoma
Malignant schwannoma. Letters, 805, 806
Recurrent intraventricular and subarachnoid hemorrhage due to an intracranial schwannoma. Case illustration, 377
Sciatic nerve
Magnetic resonance neurography of peripheral nerve following experimental crush injury, and correlation with functional deficit, 755
Neuromuscular choristoma of the sciatic nerve. Case report, 1123
Seasonal variation
Seasonal variation in the incidence of aneurysmal subarachnoid hemorrhage in hospital- and community-based studies, 497
Segmentation
Normal changes in orbital volume during childhood, 742
Sensorimotor function
Role of a synthetic pyrimidine compound, MS-818, in reduction of infarct size and amelioration of sensorimotor dysfunction after permanent focal cerebral ischemia in rats, 1072
Severe brain injury
Measurement of brain tissue oxygenation performed using positron emission tomography scanning to validate a novel monitoring method, 263
Sigmoid sinus
Stereotactic radiosurgery for the treatment of dural arteriovenous fistulas involving the transverse–sigmoid sinus, 823
Single-photon emission computerized tomography
Reversible ischemia around intracerebral hemorrhage: a single-photon emission computerized tomography study, 736
Skull base
Accessory foramen opticum, ovale, and spinosum. Case illustration, 965
Skull base reconstruction
Evaluation of the healing process after dural reconstuction achieved using a free fascial graft, 280
Skull base surgery
Trigeminal schwannomas: removal of dumbell-shaped tumors through the expanded Meckel cave and outcomes of cranial nerve function, 453
Somatosensory evoked potential
The impact of neurophysiological intraoperative monitoring on surgical decisions: a critical analysis of 423 cases, 255
Sphenoid bone
Accessory foramen opticum, ovale, and spinosum. Case illustration, 965
Spontaneous intracranial hypotension
Bilateral subdural effusion and cerebral displacement associated with spontaneous intracranial hypotension: diagnostic and management straegies. Report of two cases, 956
Spurling, Roy Glen
R. Glen Spurling: surgeon, author, and neurosurgical visionary. Historical vignette, 1147
Stent
Endovascular treatment of giant and large intracranial aneurysms by using a combination of stent placement and liquid polymer injection, 474
Endovascular treatment of an internal carotid artery pseudoaneurysm following transsphenoidal surgery. Case report, 624
Multicenter study of the feasibility and safety of using the Memotherm carotid arterial stent for extracranial carotid artery stenosis, 830
Stent placement for the treatment of occlusive atherosclerotic carotid artery disease in patients with concomitant coronary artery disease, 490
Stereoscopy
Interactive stereoscopic virtual reality: a new tool for neurosurgical education. Technical note, 144
Stereotactic neurosurgery
Bilateral thalamic deep brain stimulation for the treatment of head tremor. Report of two cases, 615
Simultaneous intrastriatal and intranigral fetal dopaminergic grafts in patients with Parkinson disease: a pilot study. Report of three cases, 589
Stereotactic radiosurgery
Cavernous sinus meningioma. Letters, 640, 641
Stereotactic targeting
Comparison of atlas- and magnetic resonance imaging–based stereotactic targeting of the globus pallidus internus in the performance of deep brain stimulation of treatment of dystonia, 673
Stratified epithelium
Changes in the epithelium of Rathke cleft cyst associated with inflammation, 209
Striatum
Correlation between changes in apparent diffusion coefficient and induction of heat shock protein, cell-specific injury marker expression, and protein synthesis reduction on diffusion-weighted magnetic resonance images after temporary focal cerebral ischemia in rats, 1084
Stroke
Detection of hyperacute subarachnoid hemorrhage of the brain by using magnetic resonance imaging, 684
Postprocedure ischemic events after treatment of intracranial aneurysms with Guglielmi detachable coils, 837
Stent placement for the treatment of occlusive atherosclerotic carotid artery disease in patients with concomitant coronary artery disease, 490
Subarachnoid hemorrhage
Cerebral oxygen and microdialysis monitoring during aneurysm surgery: effects of blood pressure, cerebrospinal fluid drainage, and temporary clipping on infarction, 1013
Complications of endoscopic third ventriculostomy, 1032

Subarachnoid hemorrhage (*continued*)
Detection of hyperacute subarachnoid hemorrhage of the brain by using magnetic resonance imaging, 684
Does administration of recombinant human erythropoietin attenuate the increase of S-100 protein observed in cerebrospinal fluid after experimental subarachnoid hemorrhage? 565
Heme oxygenase-1 gene therapy for prevention of vasospasm in rats, 1094
Magnesium sulfate therapy after aneurysmal subarachnoid hemorrhage, 510
Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture. Special section, 57
Outcome prediction with serum intercellular adhesion molecule-1 levels after aneurysmal subarachnoid hemorrhage, 71
Recurrent intraventricular and subarachnoid hemorrhage due to an intracranial schwannoma. Case illustration, 377
Seasonal variation in the incidence of aneurysmal subarachnoid hemorrhage in hospital- and community-based studies, 497
Subarachnoid hemorrhage and atmospheric pressure. Letters, 974, 975
Subarachnoid hemorrhage from a ruptured anterior cerebral artery aneurysm caused by polyarteritis nodosa. Case report, 132
Subdural hematoma
Internal intracranial encephalocele reduced by a subdural–peritoneal shunt. Case illustration, 966
Subdural–peritoneal shunt
Internal intracranial encephalocele reduced by a subdural–peritoneal shunt. Case illustration, 966
Subthalamic nucleus
Bilateral high-frequency stimulation in the subthalamic nucleus for the treatment of Parkinson disease: correlation of therapeutic effect with anatomical electrode position, 269
Bilateral stimulation of the subthalamic nucleus in patients with Parkinson disease: a study of efficacy and safety, 666
Parkinson disease. Letter, 641
Subthalamic nucleus stimulation in patients with a prior pallidotomy, 660
Sudden death
High risk of acute deterioration in patients harboring symptomatic colloid cysts of the third ventricle, 1041
Sudden hearing loss
Hearing restoration after resection of an intracanalicular vestibular schwannoma: a role for emergency surgery? Case report and review of the literature, 796
Superficial temporal artery
Vertebral artery–posterior inferior cerebellar artery bypass with a superficial temporal artery graft to treat aneurysms involving the posterior inferior cerebellar artery, 867
Supraorbital approach
Symptomatic osteolipoma of the tuber cinereum. Case report, 361
Suprasellar cistern
Surgical outcomes in 31 patients with craniopharyngiomas extending outside the suprasellar cistern: an evaluation of the frontobasal interhemispheric approach, 704
Suprasellar tumor
Pterional surgery of meningiomas of the tuberculum sellae and planum sphenoidale: surgical results with special consideration of ophthalmological and endocrinological outcomes, 235
Supratentorial craniotomy
Cerebellar hemorrhage arising postoperatively as a complication of supratentorial surgery: a retrospective study, 248
Surgery
Reversible dementia in patients with chronic subdural hematomas, 680
Surgical anatomy
Interactive stereoscopic virtual reality: a new tool for neurosurgical education. Technical note, 144

T lymphocyte
Apoptosis of T lymphocytes invading glioblastomas multiforme: a possible tumor defense mechanism, 580
Tacrolimus
Axonal regeneration after cold preservation of nerve allografts and immunosuppression with tacrolimus in mice, 924
Target verification
Bilateral high-frequency stimulation in the subthalamic nucleus for the treatment of Parkinson disease: correlation of therapeutic effect with anatomical electrode position, 269
Target-controlled infusion
Total intravenous anesthesia for intraoperative monitoring of the motor pathways: an integral view combining clinical and experimental data, 571
Temporal lobe epilepsy
Detection and significance of focal, interictal, slow-wave activity visualized by magnetoencephalography for localization of a primary epileptogenic region, 724
Individual variations in the sulcal anatomy of the basal temporal lobe and its relevance for epilepsy surgery: an anatomical study performed using magnetic resonance imaging, 464
Temporal lobectomy
Cerebellar hemorrhage arising postoperatively as a complication of supratentorial surgery: a retrospective study, 248
Tentorium cerebelli
The tentorial notch: anatomical variation, morphometric analysis, and classification in 100 human autopsy cases, 1103
Teratoma
Intrathecal and intraperitoneal germinomas occurring 20 years after total removal of a pineal teratoma. Case report, 364
Thalamic stimulation
Bilateral thalamic deep brain stimulation for the treatment of head tremor. Report of two cases, 615
Deep brain stimulation. Letters, 1162, 1163
Thalamus
Bilateral thalamic deep brain stimulation for the treatment of head tremor. Report of two cases, 615
Optimal location of thalamotomy lesions for tremor associated with Parkinson disease: a probabilistic analysis based on postoperative magnetic resonance imaging and an integrated digital atlas, 854
Theophylline
Hippocampal injury and neurobehavioral deficits following hyperglycemic cerebral ischemia: effect of theophylline and ZM 241385, 117
Third ventriculostomy
Acute distortion of the anatomy of the third ventricle during third ventriculostomy. Report of four cases, 597

Three-dimensional digital subtraction angiography
Compartments in arteriovenous malformation nidi demonstrated with rotational three-dimensional digital subtraction angiography by using selective microcatheterization. Report of three cases, 770
Thrombomodulin
Why do chronic subdural hematomas continue to grow slowly and not coagulate? Role of thrombomodulin in the mechanism, 877
Thrombosis
Postprocedure ischemic events after treatment of intracranial aneurysms with Guglielmi detachable coils, 837
Tic douloureux
Mechanism of trigeminal neuralgia: an ultrastructural analysis of trigeminal root specimens obtained during microvascular decompression surgery, 532
Timing of computerized tomography scanning
Progressive hemorrhage after head trauma: predictors and consequences of the evolving injury, 109
Tissue resonance analysis
Tissue resonance analysis: a novel method for the noninvasive monitoring of intracranial pressure. Technical note, 1132
Tissue viability
Persistent accumulation of cyclooxygenase-1–expressing microglial cells and macrophages and transient upregulation by endothelium in human brain injury, 892
Tolosa–Hunt syndrome
Bilateral cavernous sinus actinomycosis resulting in painful ophthalmoplegia. Case report, 600
Transcondylar approach
Posterior fossa aneurysms. Letters, 637, 638
Transcranial color Doppler ultrasonography
Accuracy of transcranial color Doppler ultrasonography in the diagnosis of middle cerebral artery spasm determined by receiver operating characteristic analysis, 323
Transcription factor
Aberrant nuclear factor-κB activity and its participation in the growth of human malignant astrocytoma, 909
Transforming growth factor
Association of elevated glial expression of interleukin-1β with improved survival in patients with glioblastomas multiforme, 294
Transsphenoidal surgery
Endovascular treatment of an internal carotid artery pseudoaneurysm following transsphenoidal surgery. Case report, 624
The long-term significance of microscopic dural invasion in 354 patients with pituitary adenomas treated with transsphenoidal surgery, 195
Transsphenoidal surgery. Letters, 1159, 1160
Transverse sinus
Stereotactic radiosurgery for the treatment of dural arteriovenous fistulas involving the transverse–sigmoid sinus, 823
Trauma
Comparative study of traumatic and spontaneous intracerebral hemorrhage, 86
Traumatic brain injury
Progressive hemorrhage after head trauma: predictors and consequences of the evolving injury, 109
Stilbazulenyl nitrone, a novel azulenyl nitrone antioxidant, improved neurological deficit and reduced contusion size after traumatic brain injury in rats, 1077
Traumatic brain injury and hyperventilation. Letters, 155, 156
Tremor
Bilateral thalamic deep brain stimulation for the treatment of head tremor. Report of two cases, 615
Optimal location of thalamotomy lesions for tremor associated with Parkinson disease: a probabilistic analysis based on postoperative magnetic resonance imaging and an integrated digital atlas, 854
Trigeminal nerve
Chronic granulomatous neuritis in idiopathic trigeminal sensory neuropathy. Report of two cases, 585
Trigeminal neuralgia
Gamma knife surgery for trigeminal neuralgia. Letters, 160, 161
Mechanism of trigeminal neuralgia: an ultrastructural analysis of trigeminal root specimens obtained during microvascular decompression surgery, 532
Predictors of outcome in surgically managed patients with typical and atypical trigeminal neuralgia: comparison of results following microvascular decompression, 527
Trigeminal schwannoma
Trigeminal schwannomas: removal of dumbell-shaped tumors through the expanded Meckel cave and outcomes of cranial nerve function, 453
Tuber cinereum
Symptomatic osteolipoma of the tuber cinereum. Case report, 361
Tumor necrosis factor
Association of elevated glial expression of interleukin-1β with improved survival in patients with glioblastomas multiforme, 294
Tumor recurrence
Chromosomal imbalances in primary oligodendroglial tumors and their recurrences: clues about malignant progression detected using comparative genomic hybridization, 559
Tumor suppressor gene
Clinical and molecular analysis of disseminated hemangioblastomatosis of the central nervous system in patients without von Hippel–Lindau disease. Report of four cases, 775

Ultrasound guidance
A new method of ultrasonic guidance of neuroendoscopic procedures. Technical note, 628
Unified Parkinson's Disease Rating Scale
Bilateral stimulation of the subthalamic nucleus in patients with Parkinson disease: a study of efficacy and safety, 666
Unruptured aneurysm
Prevalence of asymptomatic incidental aneurysms: review of 4568 arteriograms. Special section, 43
Section overview: unruptured aneurysms. Special section, 1
Surgery for unruptured aneurysms. Letters, 159, 160
Unruptured intracranial aneurysms: a review. Special section, 3
Unruptured intracranial aneurysm
Endovascular treatment of giant and large intracranial aneurysms by using a combination of stent placement and liquid polymer injection, 474
Natural history of unruptured intracranial aneurysms: probability of and risk factors for aneurysm rupture. Special section, 57

Unruptured intracranial aneurysm (*continued*)
Sizes of ruptured and unruptured aneurysms in relation to their sites and the ages of patients, 64

Vagus nerve stimulation
Self-inflicted vocal cord paralysis in patients with vagus nerve stimulators. Report of two cases, 949
Validation
Measurement of brain tissue oxygenation performed using positron emission tomography scanning to validate a novel monitoring method, 263
Vascular compression
Investigations using magnetic resonance imaging: is neurovascular compression present in patients with essential hypertension? 1006
Vascular malformation
Cerebellar mutism associated with a midbrain cavernous malformation. Case report and review of the literature, 607
Vasospasm
Accuracy of transcranial color Doppler ultrasonography in the diagnosis of middle cerebral artery spasm determined by receiver operating characteristic analysis, 323
Heme oxygenase-1 gene therapy for prevention of vasospasm in rats, 1094
Magnesium sulfate therapy after aneurysmal subarachnoid hemorrhage, 510
Outcome prediction with serum intercellular adhesion molecule-1 levels after aneurysmal subarachnoid hemorrhage, 71
Papaverine and vasospasm. Letters, 973, 974
Statistical techniques and vasospasm. Letter, 381
Vasospasm. Letter, 382
Venous thromboembolism
Thromboprophylaxis. Letters, 806, 807, 808
Ventralis intermedius nucleus
Deep brain stimulation. Letters, 1162, 1163
Ventriculoperitoneal shunt
Intrathecal and intraperitoneal germinomas occurring 20 years after total removal of a pineal teratoma. Case report, 364
Temporary ventricular drainage and emergency radiotherapy in the management of hydrocephalus associated with germinoma, 1020
Ventrolateral medulla oblongata
Investigations using magnetic resonance imaging: is neurovascular compression present in patients with essential hypertension? 1006
Vertebral artery
Bypass combined with embolization via a venous graft in a patient with a giant aneurysm in the posterior communicating artery and bilateral idiopathic occlusion of the internal carotid artery in the neck. Case report, 135
Vertebrobasilar artery
Cervicomedullary junction compression caused by vertebral artery dolichoectasia and requiring surgical treatment. Case report, 140
Vestibular schwannoma
Correlation between auditory function and internal auditory canal pressure in patients with vestibular schwannomas, 872
Hearing restoration after resection of an intracanalicular vestibular schwannoma: a role for emergency surgery? Case report and review of the literature, 796
Predictors of vestibular schwannoma growth in patients with neurofibromatosis Type 2, 217
Vestibular schwannoma growth in patients with neurofibromatosis Type 2: a longitudinal study, 223
Virtual reality
Interactive stereoscopic virtual reality: a new tool for neurosurgical education. Technical note, 144
Visual outcome
Pterional surgery of meningiomas of the tuberculum sellae and planum sphenoidale: surgical results with special consideration of ophthalmological and endocrinological outcomes, 235
Vocal words
Self-inflicted vocal cord paralysis in patients with vagus nerve stimulators. Report of two cases, 949
von Hippel–Lindau disease
Clinical and molecular analysis of disseminated hemangioblastomatosis of the central nervous system in patients without von Hippel–Lindau disease. Report of four cases, 775

Waterjet dissector
Waterjet dissection in neurosurgical procedures: clinical results in 35 patients, 690
White matter
Individual variations in the sulcal anatomy of the basal temporal lobe and its relevance for epilepsy surgery: an anatomical study performed using magnetic resonance imaging, 464
World War II
R. Glen Spurling: surgeon, author, and neurosurgical visionary. Historical vignette, 1147